Index to Volume 88

January–June, 1998

Author Index

ABBASI KH. *See* Sakas DE, 471

ABDULRAUF SI, EDVARDSEN K, HO KL, YANG XY, ROCK JP, ROSENBLUM ML. Vascular endothelial growth factor expression and vascular density as prognostic markers of survival in patients with low-grade astrocytoma, 513

ABE H. *See* Koyanagi I, 247

_____. *See* Sawamura Y, 66

ABEKURA M. Akinetic mutism and magnetic resonance imaging in obstructive hydrocephalus. Case illustration, 161

ABOOD C. *See* Morgan H, 148

ADAMS E. *See* Schrell UMH, 541

ADAMS GL. *See* Weprin BE, 570

AFSHAR JKB. *See* Pluta RM, 557

AICHNER F. *See* Kampfl A, 809

AKMAN C. *See* Uzan M, 598

ALBERTI O. *See* Dorward NL, 656

ALBRIGHT AL, BARRY MJ, PAINTER MJ, SHULTZ B. Infusion of intrathecal baclofen for generalized dystonia in cerebral palsy, 73

_____, LEE PA. Surgery for hypothalamic hamartomas. Letter, 353

_____. *See* Gerszten PC, 1009

_____. *See* Robertson PL, 695

ALEXANDER E JR.. Book review, 611

ALEXANDER MJ, DESALLES AAF, TOMIYASU U. Multiple radiation-induced intracranial lesions after treatment for pituitary adenoma. Case report, 111

ALEXEEVA N. *See* Calancie B, 457

ALLEN JC, AVINER S, YATES AJ, BOYETT JM, CHERLOW JM, TURSKI PA, EPSTEIN F, FINLAY JL. Treatment of high-grade spinal cord astrocytoma of childhood with "8-in-1" chemotherapy and radiotherapy: a pilot study of CCG-945, 215

_____. *See* Robertson PL, 695

ALLEYNE CH JR., CAWLEY CM, BARROW DL, POFF BC, POWELL MD, SAWHNEY AS, DILLEHAY DL. Efficacy and biocompatibility of a photopolymerized, synthetic, absorbable hydrogel as a dural sealant in a canine craniotomy model, 308

ALLIBONE J. *See* Hart AJ, 1104

_____. *See* Steel TR, 122

AL-MEFTY O. Academic chairmen. Letter, 174

_____. Error in anatomical detail? Letter, 790

AMEEN AA. *See* Sakas DE, 471

ANDERS M. *See* Schrell UMH, 541

APFELBAUM RI. *See* Dickman CA, 898

APOSTOLIDES PJ. *See* Vishteh AG, 928

ARAKI M. *See* Matsumoto S, 890

ARENS LJ. *See* Subramanian N, 1014

ARISHIMA H. *See* Kabuto M, 949

ARNAUD E. *See* Cinalli G, 209

ARTRU AA. *See* Gurevich B, 1066

ASCH HL. *See* Lewis PJ, 358

ASHKENAZI E. *See* Onesti ST, 106

ATKINSON JLD, WEINSHENKER BG, MILLER GM, PIEPGRAS DG, MOKRI B. Acquired Chiari I malformation secondary to spontaneous spinal cerebrospinal fluid leakage and chronic intracranial hypotension syndrome in seven cases, 237

_____. *See* Schievink WI, 243

AVEZAAT CJJ. *See* Boon AJW, 490

AVINER S. *See* Allen JC, 215

BADIE B. *See* Chauvet AE, 870

BAGLEY LJ. *See* Cecil KM, 795

BAKAY RAE. *See* Vitek JL, 1027

BALDWIN SA, BRODERICK R, OSBOURNE D, WAEG G, BLADES DA, SCHEFF SW. The presence of 4-hydroxynonenal/protein complex as an indicator of oxidative stress after experimental spinal cord contusion in a rat model, 874

BALL WS. *See* Larson JJ, 51

BARLAS S. *See* Davis FG, 1

BARNA BP. *See* Toms SA, 884

BARNETT GH. *See* Toms SA, 884

BARON M. *See* Vitek JL, 1027

BARONE CM. *See* Jimenez DF, 77

BARROW DL. *See* Alleyne CH Jr., 308

BARRY MJ. *See* Albright AL, 73

BASKIN JJ, MANWARING KH, REKATE HL. Ventricular shunt removal: the ultimate treatment of the slit ventricle syndrome, 478

BAUMAN GS. *See* Fisher BJ, 969

BAVBEK M. *See* Toyoda T, 1082

BEACH ML. *See* Pikus HJ, 641

BEALE DJ. *See* Sakas DE, 471

BEINDORF A. *See* Latronico N, 769

BEKHOR S. *See* Leblanc R, 757

BENI-ADANI L. *See* Spektor S, 145

BENZEL EC. Artificial cervical joint. Letter, 1121

BERGER MS. *See* Sartorius CJ, 349

BERGLÖFF J. *See* Leber KA, 43

BERTRAND G. *See* Clarke DB, 116

_____. *See* Preul MC, 162

BEYDON L. *See* Minassian AT, 996

BHATJIWALE M. *See* Goel A, 962

BILBAO J. *See* Kovacs K, 1111

BILBAO JM. *See* Kulkarni AV, 324

BLACKLOCK JB, TOMARAS CR, PARKER WD, HARPER RL. Outpatient cervical spine surgery. Letter, 358

BLADES DA. *See* Baldwin SA, 874

BLOCK JE, RUSSELL JL. Spine fusion with demineralized bone. Letter, 354

BOCH AL, HERMELIN E, SAINTE-ROSE C, SGOUROS S. Mechanical dysfunction of ventriculoperitoneal shunt due to calcification of the silicone rubber catheter, 975

BOLYN S. *See* Pirotte B, 129

BONNET F. *See* Minassian AT, 996

BOOCK RJ. *See* Horky LL, 298

_____. *See* Pluta RM, 557

BOON AJW, TANS JTJ, DELWEL EJ, EGELER-PEERDEMAN SM, HANLO PW, WURZER HAL, AVEZAAT CJJ, DEJONG DA, GOOSKENS RHJM, HERMANS J. Dutch Normal-Pressure Hydrocephalus Study: randomized comparison of low- and medium-pressure shunts, 490

BOVE KE. *See* Larson JJ, 51

BOYETT JM. *See* Allen JC, 215

_____. *See* Robertson PL, 695

BOZKUS H. *See* Uzan M, 598

BREM S. *See* Davis FG, 1

Index to Volume 88

January–June, 1998

Author Index

ABBASI KH. *See* Sakas DE, 471

ABDULRAUF SI, EDVARDSEN K, HO KL, YANG XY, ROCK JP, ROSENBLUM ML. Vascular endothelial growth factor expression and vascular density as prognostic markers of survival in patients with low-grade astrocytoma, 513

ABE H. *See* Koyanagi I, 247

_____. *See* Sawamura Y, 66

ABEKURA M. Akinetic mutism and magnetic resonance imaging in obstructive hydrocephalus. Case illustration, 161

ABOOD C. *See* Morgan H, 148

ADAMS E. *See* Schrell UMH, 541

ADAMS GL. *See* Weprin BE, 570

AFSHAR JKB. *See* Pluta RM, 557

AICHNER F. *See* Kampfl A, 809

AKMAN C. *See* Uzan M, 598

ALBERTI O. *See* Dorward NL, 656

ALBRIGHT AL, BARRY MJ, PAINTER MJ, SHULTZ B. Infusion of intrathecal baclofen for generalized dystonia in cerebral palsy, 73

_____, LEE PA. Surgery for hypothalamic hamartomas. Letter, 353

_____. *See* Gerszten PC, 1009

_____. *See* Robertson PL, 695

ALEXANDER E JR.. Book review, 611

ALEXANDER MJ, DESALLES AAF, TOMIYASU U. Multiple radiation-induced intracranial lesions after treatment for pituitary adenoma. Case report, 111

ALEXEEVA N. *See* Calancie B, 457

ALLEN JC, AVINER S, YATES AJ, BOYETT JM, CHERLOW JM, TURSKI PA, EPSTEIN F, FINLAY JL. Treatment of high-grade spinal cord astrocytoma of childhood with "8-in-1" chemotherapy and radiotherapy: a pilot study of CCG-945, 215

_____. *See* Robertson PL, 695

ALLEYNE CH JR., CAWLEY CM, BARROW DL, POFF BC, POWELL MD, SAWHNEY AS, DILLEHAY DL. Efficacy and biocompatibility of a photopolymerized, synthetic, absorbable hydrogel as a dural sealant in a canine craniotomy model, 308

ALLIBONE J. *See* Hart AJ, 1104

_____. *See* Steel TR, 122

AL-MEFTY O. Academic chairmen. Letter, 174

_____. Error in anatomical detail? Letter, 790

AMEEN AA. *See* Sakas DE, 471

ANDERS M. *See* Schrell UMH, 541

APFELBAUM RI. *See* Dickman CA, 898

APOSTOLIDES PJ. *See* Vishteh AG, 928

ARAKI M. *See* Matsumoto S, 890

ARENS LJ. *See* Subramanian N, 1014

ARISHIMA H. *See* Kabuto M, 949

ARNAUD E. *See* Cinalli G, 209

ARTRU AA. *See* Gurevich B, 1066

ASCH HL. *See* Lewis PJ, 358

ASHKENAZI E. *See* Onesti ST, 106

ATKINSON JLD, WEINSHENKER BG, MILLER GM, PIEPGRAS DG, MOKRI B. Acquired Chiari I malformation secondary to spontaneous spinal cerebrospinal fluid leakage and chronic intracranial hypotension syndrome in seven cases, 237

_____. *See* Schievink WI, 243

AVEZAAT CJJ. *See* Boon AJW, 490

AVINER S. *See* Allen JC, 215

BADIE B. *See* Chauvet AE, 870

BAGLEY LJ. *See* Cecil KM, 795

BAKAY RAE. *See* Vitek JL, 1027

BALDWIN SA, BRODERICK R, OSBOURNE D, WAEG G, BLADES DA, SCHEFF SW. The presence of 4-hydroxynonenal/protein complex as an indicator of oxidative stress after experimental spinal cord contusion in a rat model, 874

BALL WS. *See* Larson JJ, 51

BARLAS S. *See* Davis FG, 1

BARNA BP. *See* Toms SA, 884

BARNETT GH. *See* Toms SA, 884

BARON M. *See* Vitek JL, 1027

BARONE CM. *See* Jimenez DF, 77

BARROW DL. *See* Alleyne CH Jr., 308

BARRY MJ. *See* Albright AL, 73

BASKIN JJ, MANWARING KH, REKATE HL. Ventricular shunt removal: the ultimate treatment of the slit ventricle syndrome, 478

BAUMAN GS. *See* Fisher BJ, 969

BAVBEK M. *See* Toyoda T, 1082

BEACH ML. *See* Pikus HJ, 641

BEALE DJ. *See* Sakas DE, 471

BEINDORF A. *See* Latronico N, 769

BEKHOR S. *See* Leblanc R, 757

BENI-ADANI L. *See* Spektor S, 145

BENZEL EC. Artificial cervical joint. Letter, 1121

BERGER MS. *See* Sartorius CJ, 349

BERGLÖFF J. *See* Leber KA, 43

BERTRAND G. *See* Clarke DB, 116

_____. *See* Preul MC, 162

BEYDON L. *See* Minassian AT, 996

BHATJIWALE M. *See* Goel A, 962

BILBAO J. *See* Kovacs K, 1111

BILBAO JM. *See* Kulkarni AV, 324

BLACKLOCK JB, TOMARAS CR, PARKER WD, HARPER RL. Outpatient cervical spine surgery. Letter, 358

BLADES DA. *See* Baldwin SA, 874

BLOCK JE, RUSSELL JL. Spine fusion with demineralized bone. Letter, 354

BOCH AL, HERMELIN E, SAINTE-ROSE C, SGOUROS S. Mechanical dysfunction of ventriculoperitoneal shunt due to calcification of the silicone rubber catheter, 975

BOLYN S. *See* Pirotte B, 129

BONNET F. *See* Minassian AT, 996

BOOCK RJ. *See* Horky LL, 298

_____. *See* Pluta RM, 557

BOON AJW, TANS JTJ, DELWEL EJ, EGELER-PEERDEMAN SM, HANLO PW, WURZER HAL, AVEZAAT CJJ, DEJONG DA, GOOSKENS RHJM, HERMANS J. Dutch Normal-Pressure Hydrocephalus Study: randomized comparison of low- and medium-pressure shunts, 490

BOVE KE. *See* Larson JJ, 51

BOYETT JM. *See* Allen JC, 215

_____. *See* Robertson PL, 695

BOZKUS H. *See* Uzan M, 598

BREM S. *See* Davis FG, 1

Index

BROADDUS WC, PRABHU SS, GILLIES GT, NEAL J, CONRAD WS, CHEN ZJ, FILLMORE H, YOUNG HF. Distribution and stability of antisense phosphorothioate oligonucleotides in rodent brain following direct intraparenchymal controlled-rate infusion, 734
BROCK M. *See* Hammersen S, 314
BRODERICK R. *See* Baldwin SA, 874
BROTCHI J. *See* Pirotte B, 129
BROTON JG. *See* Calancie B, 457
BROWN MJ. *See* Zager EL, 827
BROWNLEE RD, CLARK AW, SEVICK RJ, MYLES ST. Symptomatic hamartoma of the spinal cord in a patient with neurofibromatosis type 1. Case report, 1099
BRUCHER JM. *See* Pirotte B, 129
BRUNBERG JA. *See* Colón GP, 226
BRUNELLE F. *See* Cinalli G, 209
_____. *See* Pencalet P, 521
BURGE DM. *See* Samuel M, 983
BÜTTNER A. *See* Zevgaridis D, 903

CAHILL DW. *See* Etebar S, 158
CAIRNCROSS JG. *See* Fisher BJ, 969
CALANCIE B, HARRIS W, BROTON JG, ALEXEEVA N, GREEN BA. "Threshold-level" multipulse transcranial electrical stimulation of motor cortex for intraoperative monitoring of spinal motor tracts: description of method and comparison to somatosensory evoked potential monitoring, 457
CANDIANI A. *See* Latronico N, 769
CANNON J. *See* Wardlaw JM, 846
CAPDEVILA A. *See* Pujol J, 863
CARPENTER S. *See* Leblanc R, 757
CARSON BS. *See* Helfaer MA, 704
CARTER JH JR. *See* Sampson JH, 11
CASEY ATM. *See* Hart AJ, 1104
CASEY G. *See* Toms SA, 884
CAWLEY CM. *See* Alleyne CH Jr., 308
CECIL KM, HILLS EC, SANDEL ME, SMITH DH, MCINTOSH TK, MANNON LJ, SINSON GP, BAGLEY LJ, GROSSMAN RI, LENKINSKI RE. Proton magnetic resonance spectroscopy for detection of axonal injury in the splenium of the corpus callosum of brain-injured patients, 795
CERVÓS-NAVARRO J. *See* Hammersen S, 314
CHANG DC. *See* Lin JJ, 354
CHAUVET AE, KESAVA PP, GOH CS, BADIE B. Selective intraarterial gene delivery into a canine meningioma, 870
CHEN TC. *See* Stillerman CB, 623
CHEN ZJ. *See* Broaddus WC, 734
CHERLOW JM. *See* Allen JC, 215
CHODAKIEWITZ JW. Localizing pallidotomy lesions. Letter, 1125
CHOUDHURY R, RAJSHEKHAR V. Abdominal pseudohernia following intradural tumor excision. Case illustration, 930
CHUMAS P. *See* Cinalli G, 209
CINALLI G, SAINTE-ROSE C, KOLLAR EM, ZERAH M, BRUNELLE F, CHUMAS P, ARNAUD E, MARCHAC D, PIERRE-KAHN A, RENIER D. Hydrocephalus and craniosynostosis, 209
_____. *See* Pencalet P, 521
ÇIPLAK N. *See* Uzan M, 598
CLABEAUX DE. *See* Lewis PJ, 358
CLAPPER AT. *See* Jimenez DF, 817
CLARK AW. *See* Brownlee RD, 1099
CLARK RSB. *See* Forbes ML, 549
CLARKE DB, LEBLANC R, BERTRAND G, QUARTEY GRC, SNIPES GJ. Meningeal melanocytoma. Report of a case and a historical comparison, 116
CLOFT HJ, KALLMES DF, KALLMES MH, GOLDSTEIN JH, JENSEN ME, DION JE. Prevalence of cerebral aneurysms in patients with fibromuscular dysplasia: a reassessment, 436
COAKHAM HB, MOSS T. Microvascular decompression. Letter, 617
COLÓN GP, QUINT DJ, DICKINSON LD, BRUNBERG JA, JAMERSON KA, HOFF JT, ROSS DA. Magnetic resonance evaluation of ventrolateral medullary compression in essential hypertension, 226
_____, ROSS DA, HOFF JT. Sequential outer-table craniotomy in a hyperossified meningioma. Technical note, 346
CONESA G. *See* Pujol J, 863
CONRAD WS. *See* Broaddus WC, 734
CONSTANTINI S, MILLER DC. Diagnosis of ganglioglioma. Letter, 936
_____. *See* Spektor S, 145
COPCUTT B. *See* Duma CM, 1044, 1122
CORBETT JJ. Book review, 173
COSGROVE GR. *See* Maxwell M, 562
COSTA G. *See* Germanó A, 1075
COULDWELL WT. *See* Stillerman CB, 623
CROCKARD HA. *See* Steel TR, 122
CRONE KR. *See* Larson JJ, 51
CROSS DT III. *See* Milburn JM, 38
_____. *See* Moran CJ, 933
CRUYSBERG JRM. *See* van Overbeeke JJ, 336
CUMMINS BH, ROBERTSON JT, GILL SS. Surgical experience with an implanted artificial cervical joint, 943
_____. *See* Robertson JT, 1121
CUSIMANO MD. Hydroxyurea for treatment of meningioma. Letter, 938
_____. *See* Kulkarni AV, 324
CZECH T. *See* Gruber A, 28
CZOSNYKA M, MATTA BF, SMIELEWSKI P, KIRKPATRICK PJ, PICKARD JD. Cerebral perfusion pressure in head-injured patients: a noninvasive assessment using transcranial Doppler ultrasonography, 802

DAABOUL J. *See* Stewart L, 340
DACEY RG JR. *See* Milburn JM, 38
_____. *See* Moran CJ, 933
DAGI TF. *See* Preul MC, 162
DAMEK DM. *See* McCarthy BJ, 831
D'ARRIGO C. *See* Steel TR, 122
DASHTI SGR. *See* Uzan M, 598
DAUSER RC, TUITE GF, MCCLUGGAGE CW. Dural inversion for moyamoya disease. Letter, 177
D'AVELLA D. *See* Germanó A, 1075
DAVIS FG, FREELS S, GRUTSCH J, BARLAS S, BREM S. Survival rates in patients with primary malignant brain tumors stratified by patient age and tumor histological type: an analysis based on Surveillance, Epidemiology, and End Results (SEER) data, 1973–1991, 1
_____. *See* McCarthy BJ, 831
DAY JD. *See* Koos WT, 506
DEAN B. *See* Vishteh AG, 928
DE COENE B. *See* Ide C, 773
DE COURTEN-MYERS GM. *See* Wagner KR, 1058
DEJONG DA. *See* Boon AJW, 490
_____. *See* van den Brink WA, 615
DEKOSKY ST. *See* Forbes ML, 549
DELASHAW JB JR. *See* Horgan MA, 1120
DELLA-LANA D. *See* Helfaer MA, 704
DELONG MR. *See* Vitek JL, 1027
DELWEL EJ. *See* Boon AJW, 490
DEMIRTAŞ E. *See* Erşahin Y, 57
DENARDO AJ. *See* Payner TD, 441
DESAI K. *See* Goel A, 962
DESALLES AAF. *See* Alexander MJ, 111
DESTRIEUX C, KAKOU MK, VELUT S, LEFRANCQ T, JAN M. Microanatomy of the hypophyseal fossa boundaries, 743
DETWILER PW, ZABRAMSKI JM, PORTER RW, SPETZLER RF. Origin of de novo central nervous system cavernomas. Letter, 617
DEUS J. *See* Pujol J, 863
DIAS PS. *See* Sakas DE, 471
DICKINSON LD. *See* Colón GP, 226
DICKMAN CA, APFELBAUM RI. Thoracoscopic microsurgical excision of a thoracic schwannoma. Case report, 898
DILLEHAY DL. *See* Alleyne CH Jr., 308
DION JE. *See* Cloft HJ, 436
DIRINGER MN. *See* Milburn JM, 38

———. *See* Moran CJ, 933
Dixon CE. *See* Forbes ML, 549
Doi M. *See* Yanaka K, 601
Dominique DA. Book review, 932
Dorigo O, Turla ST, Lebedeva S, Gjerset RA. Sensitization of rat glioblastoma multiforme to cisplatin in vivo following restoration of wild-type p53 function, 535
Dorward NL, Alberti O, Velani B, Gerritsen FA, Harkness WFJ, Kitchen ND, Thomas DGT. Postimaging brain distortion: magnitude, correlates, and impact on neuronavigation, 656
Douville CM. *See* Elliott JP, 277
Drake JM. *See* Tashiro Y, 709
Duma CM, Jacques DB, Kopyov O, Mark RJ, Copcutt B, Farokhi HK. Gamma knife radiosurgical thalamotomy for Parkinson's tremor: a 5-year experience, 1044
———, ———, Mark R, Copcutt BG, Gombus M, Farokhi H. Thalamotomy for parkinsonian tremor. Letter, 1122

Eberhard DA. *See* Schneider BF, 357
Ebersold MJ. *See* Schievink WI, 243
Edvardsen K. *See* Abdulrauf SI, 513
Egeler-Peerdeman SM. *See* Boon AJW, 490
Eguchi T. *See* Miyake S, 331
Eisenberg E. Correction, 791
Eisenberg MB, Lopez R, Stanek AE. Abscess formation within a parasagittal meningioma. Case report, 895
Elliott JP, Newell DW, Lam DJ, Eskridge JM, Douville CM, Le Roux PD, Lewis DH, Mayberg MR, Grady MS, Winn HR. Comparison of balloon angioplasty and papaverine infusion for the treatment of vasospasm following aneurysmal subarachnoid hemorrhage, 277
Emura I. *See* Nagai S, 610
Endo S, Kuwayama N, Takaku A, Nishijima M. Direct packing of the isolated sinus in patients with dural arteriovenous fistulas of the transverse-sigmoid sinus, 449
———. *See* Hirashima Y, 304
———. *See* Nagai S, 610
Engsberg JR, Olree KS, Ross SA, Park TS. Spasticity and strength changes as a function of selective dorsal rhizotomy, 1020
Epstein F. *See* Allen JC, 215
Erdinçler P. *See* Uzan M, 598
Ericson K. *See* Karlsson B, 293
Erşahin Y, Mutluer S, Kocaman S, Demirtaş E. Split spinal cord malformations in children, 57
Eskridge JM. *See* Elliott JP, 277
Espejo EJ. *See* Terasaka S, 753
Etebar S, Cahill DW. Failure of transodontoid screw fixation. Case report, 158
Eyden B. Langerhans' cell histocytosis. Letter, 790

Faber CA. Outpatient cervical spine surgery. Letter, 357
Fahlbusch R. *See* Schrell UMH, 541
Faillace WJ, Garrison RD. Hydrothorax after ventriculoperitoneal shunt placement in a premature infant: an iatrogenic postoperative complication. Case report, 594
Farokhi HK. *See* Duma CM, 1044, 1122
Feindel W. *See* Preul MC, 162
Felber S. *See* Kampfl A, 809
Fillmore H. *See* Broaddus WC, 734
Finlay JL. *See* Allen JC, 215
———. *See* Robertson PL, 695
Fisher BJ, Bauman GS, Leighton CE, Stitt L, Cairncross JG, Macdonald DR. Low-grade gliomas in children: tumor volume response to radiation, 969
Flamm ES. *See* Lasner TM, 788
Forbes ML, Clark RSB, Dixon CE, Graham SH, Marion DW, DeKosky ST, Schiding JK, Kochanek PM. Hyperventilation early after controlled cortical impact augmented neuronal death in CA3 hippocampus, 549
Frankel MR. Book review, 352
Franz G. *See* Kampfl A, 809
Freels S. *See* Davis FG, 1
———. *See* McCarthy BJ, 831
Fridrich P. *See* Gruber A, 28
Friedman AH. *See* Sampson JH, 11
Fujieda K. *See* Sawamura Y, 66
Fujii Y. Thrombin-antithrombin complex levels in subarachnoid hemorrhage. Letter, 614
Fujimaki T, Sasaki T, Kirino T. Microvascular decompression. Letter, 617
Fujimoto K. *See* Nagata K, 126
Fujita S. *See* Manabe H, 1096
Fukuda O. *See* Hirashima Y, 304
Fukushima T. *See* Terasaka S, 753
Fukuta K. *See* Saito K, 1116
Fulmer BB. *See* Iskandar BJ, 958

Gaab MR, Schroeder HWS. Neuroendoscopic approach to intraventricular lesions, 496
Galanopoulos T. *See* Maxwell M, 562
Garrison RD. *See* Faillace WJ, 594
Gates J. *See* Helfaer MA, 704
Germanó A, Imperatore C, D'Avella D, Costa G, Tomasello F. Antivasospastic and brain protective effects of a hydroxyl radical scavenger (AVS) after experimental subarachnoid hemorrhage, 1075
Gerritsen FA. *See* Dorward NL, 656
Gerszten PC, Albright AL, Johnstone GF. Intrathecal baclofen infusion and subsequent orthopedic surgery in patients with spastic cerebral palsy, 1009
Geyer JR. *See* Robertson PL, 695
Gibbs SR. *See* Jimenez DF, 817
Gill SS. *See* Cummins BH, 943
———. *See* Robertson JT, 1121
Gilliard C. *See* Ide C, 773
Gillies GT. *See* Broaddus WC, 734
Gilmor RL. *See* Payner TD, 441
Gjerset RA. *See* Dorigo O, 535
Goel A, Bhatjiwale M, Desai K. Basilar invagination: a study based on 190 surgically treated patients, 962
Goh CS. *See* Chauvet AE, 870
Goldstein JH. *See* Cloft HJ, 436
Gombus M. *See* Duma CM, 1122
Gomez PA. *See* Lobato RD, 934
Gomori JM. *See* Spektor S, 145
Goodman J. *See* Weprin BE, 570
Gooskens RHJM. *See* Boon AJW, 490
Grady MS. *See* Elliott JP, 277
Graham SH. *See* Forbes ML, 549
Green BA. *See* Calancie B, 457
Greinwald JH Jr. *See* Hart AKE, 151
Grossman RI. *See* Cecil KM, 795
Gruber A, Reinprecht A, Görzer H, Fridrich P, Czech T, Illievich UM, Richling B. Pulmonary function and radiographic abnormalities related to neurological outcome after aneurysmal subarachnoid hemorrhage, 28
Grutsch J. *See* Davis FG, 1
———. *See* McCarthy BJ, 831
Görzer H. *See* Gruber A, 28
Gurevich B, Artru AA, Lam AM, Mueller AL, Merkind V, Talmor D, Katchko L, Shapira Y. Neuroprotective effects of NPS 846, a novel NMDA receptor antagonist, following closed head trauma in the rat, 1066
Gustin T. *See* Ide C, 773
Gutmann DH. *See* Vogelbaum MA, 99

Index

HACKNEY DB. *See* Zager EL, 827
HADLEY MN. *See* Iskandar BJ, 958
HAITSMA I. *See* van den Brink WA, 615
HAKUBA A. *See* Nishikawa M, 133
HALL WA. *See* Weprin BE, 570
HALLER D. *See* Landolt AM, 1002
HAMANO M. *See* Yoshimoto Y, 485
HAMBURGER C. *See* Zevgaridis D, 903
HAMMERSEN S, BROCK M, CERVÓS-NAVARRO J. Adult neuronal ceroid lipofuscinosis with clinical findings consistent with a butterfly glioma. Case report, 314
HAN DH. *See* Kang HS, 138
HANAKAWA K. *See* Mizushima H, 590
HANLO PW. *See* Boon AJW, 490
HAQQI T. *See* Toms SA, 884
HARBAUGH RE. *See* Pikus HJ, 641
HARDY J. The anatomy of tremor. Letter, 353
HARING HP. *See* Kampfl A, 809
HARKNESS WFJ. *See* Dorward NL, 656
HARPER RL. *See* Blacklock JB, 358
HARRINGTON JF. Decompressive laminectomy for spinal stenosis. Letter, 790
HARRIS W. *See* Calancie B, 457
HARRISON MJ. Percutaneous ventriculoatrial shunts. Letter, 1124
HART AJ, ALLIBONE J, CASEY ATM, THOMAS DGT. Malignant meningioma of the oculomotor nerve without dural attachment. Case report and review of the literature, 1104
HART AKE, GREINWALD JH JR., SHAFFREY CI, POSTMA GN. Thoracic duct injury during anterior cervical discectomy: a rare complication. Case report, 151
HASHIMOTO T. *See* Vitek JL, 1027
HATAYAMA T. *See* Manabe H, 1096
HATTON JD. *See* Meltzer H, 93
HAYAKAWA T. *See* Kishima H, 576
_____. *See* Nakajima Y, 663
HAYASHI N. *See* Hirashima Y, 304
HEDLEY-WHYTE ET. *See* Maxwell M, 562
HEISS JD. *See* Lonser RR, 923
HELFAER MA, CARSON BS, JAMES CS, GATES J, DELLA-LANA D, VANDER KOLK C. Increased hematocrit and decreased transfusion requirements in children given erythropoietin before undergoing craniofacial surgery, 704
HELM GA, SHEEHAN J. Spine fusion with demineralized bone. Letter, 355
HENSON JW. *See* Moayeri NN, 912
HERCBERGS A. *See* Toms SA, 884
HERMANS J. *See* Boon AJW, 490
HERMELIN E. *See* Boch AL, 975
HIDA K. *See* Koyanagi I, 247
HIDAKA M. *See* Oi S, 685
HIGASHIKUBO R. *See* Vogelbaum MA, 99
HILLS EC. *See* Cecil KM, 795
HIRASHIMA Y, HAYASHI N, FUKUDA O, ITO H, ENDO S, TAKAKU A. Platelet-activating factor and edema surrounding meningiomas, 304
HO KL. *See* Abdulrauf SI, 513
HOFF JT. *See* Colón GP, 226, 346
HONDA Y. *See* Oi S, 685
HONG M. *See* Mehta V, 1088
HORGAN MA, DELASHAW JB JR. Book review, 1120
HORKY LL, PLUTA RM, BOOCK RJ, OLDFIELD EH. Role of ferrous iron chelator 2,2′-dipyridyl in preventing delayed vasospasm in a primate model of subarachnoid hemorrhage, 298
HORNER TG. *See* Payner TD, 441
HORVATH E. *See* Kovacs K, 1111
HSIANG JNK, YOUNG T, YU ALM, POON WS. High-risk minor head injury. Letter, 613
HUA Y. *See* Wagner KR, 1058
IDE C, NISOLLE JF, MISSON N, TRIGAUX JP, GUSTIN T, DE COENE B, GILLIARD C. Unusual occipitoatlantal fracture dissociation with no neurological impairment. Case report, 773
IIDA M. *See* Mizushima H, 590
IKEDA J. *See* Sawamura Y, 66
IKEDA Y. *See* Murai Y, 650
ILLIEVICH UM. *See* Gruber A, 28
IMAMURA H. *See* Koyanagi I, 247
IMPERATORE C. *See* Germanò A, 1075
INOUE M. *See* Nagata K, 126
IRVING RM, JACKLER RK, PITTS LW. Hearing preservation in patients undergoing vestibular schwannoma surgery: comparison of middle fossa and retrosigmoid approaches, 840
ISAMAT F. *See* Pujol J, 863
ISHII N. *See* Sawamura Y, 66
ISHIZAKA K. *See* Kihara K, 726
ISKANDAR BJ, FULMER BB, HADLEY MN, OAKES WJ. Congenital tethered spinal cord syndrome in adults, 958
ISOE S, NAGANUMA H, NAKANO S, SASAKI A, SATOH E, NAGASAKA M, MAEDA S, NUKUI H. Resistance to growth inhibition by transforming growth factor–β in malignant glioma cells with functional receptors, 529
ITO H. *See* Hirashima Y, 304
_____. *See* Kobata H, 319
ITO T. *See* Yokoyama T, 1125
IWASAKI K. *See* Kobata H, 319
_____. *See* Toms SA, 884
IWASAKI Y. *See* Koyanagi I, 247
IWATA T. *See* Mizushima H, 590

JACKLER RK. *See* Irving RM, 840
JACQUES DB. *See* Duma CM, 1044, 1122
JAMERSON KA. *See* Colón GP, 226
JAMES CS. *See* Helfaer MA, 704
JAMES HE. *See* Morris GF, 954
JAN M. *See* Destrieux C, 743
JENSEN ME. *See* Cloft HJ, 436
JIMENEZ DF, BARONE CM. Endoscopic craniectomy for early surgical correction of sagittal craniosynostosis, 77
_____, GIBBS SR, CLAPPER AT. Endoscopic treatment of carpal tunnel syndrome: a critical review, 817
JINBO H. *See* Mizushima H, 590
JOHNSTONE GF. *See* Gerszten PC, 1009
JUVELA S. Smoking and vasospasm. Letter, 788

KABUTO M, KUBOTA T, KOBAYASHI H, KAKEUCHI H, NAKAGAWA T, KITAI R, KODERA T, KAWAI H, ARISHIMA H. Long-term evaluation of reconstruction of the sellar floor with a silicone plate in transsphenoidal surgery, 949
KAKEUCHI H. *See* Kabuto M, 949
KAKOU MK. *See* Destrieux C, 743
KALIFA C. *See* Pencalet P, 521
KALLMES DF. *See* Cloft HJ, 436
KALLMES MH. *See* Cloft HJ, 436
KAMIKASEDA K. *See* Miyagi Y, 909
KAMPFL A, FRANZ G, AICHNER F, PFAUSLER B, HARING HP, FELBER S, LUZ G, SCHOCKE M, SCHMUTZHARD E. The persistent vegetative state after closed head injury: clinical and magnetic resonance imaging findings in 42 patients, 809
KANEKO M. *See* Nakayama T, 919
_____. *See* Nishigaya K, 764, 1107
KANEOKE Y. *See* Vitek JL, 1027
KANG HS, KIM DG, HAN DH. Large glial cyst of the pineal gland: a possible growth mechanism. Case report, 138
KANG Y. *See* Matsumoto S, 890
KARLSSON B, KIHLSTRÖM L, LINDQUIST C, ERICSON K, STEINER L. Radiosurgery of cavernous malformations, 293

KASSELL NF. *See* Polin RS, 933
_____. *See* Toyoda T, 1082
KATAYAMA Y. *See* Yoshino A, 581
KATCHKO L. *See* Gurevich B, 1066
KATO T. *See* Sawamura Y, 66
KATSUYAMA J. *See* Nishikawa M, 133
KAUFMAN-FOX JK. Erratum. Letter, 359
KAWAGUCHI M. *See* Morimoto T, 155
KAWAI H. *See* Kabuto M, 949
KAWAKAMI Y. *See* Matsumoto S, 890
KAWAMOTO S. *See* Sasaki T, 285
KAWAMURA J. *See* Matsumoto S, 890
KESAVA PP. *See* Chauvet AE, 870
KHURANA VG, PIEPGRAS DG, WHISNANT JP. Ruptured giant intracranial aneurysms. Part I. A study of rebleeding, 425
_____. *See* Piepgras DG, 430
KIHARA K, SATO K, ISHIZAKA K, OSHIMA H. Preservation of ejaculatory function by reconstruction of the canine hypogastric nerve, 726
KIHLSTRÖM L. *See* Karlsson B, 293
KIM DG. *See* Kang HS, 138
KIM P, WAKAI S, MATSUO S, MORIYAMA T, KIRINO T. Bisegmental cervical interbody fusion using hydroxyapatite implants: surgical results and long-term observation in 70 cases, 21
KIM YJ. *See* Nagata K, 126
KIMURA H. *See* Miyake S, 331
KIMURA SY. *See* Yoshino A, 581
KIRINO T. *See* Fujimaki T, 617
_____. *See* Kim P, 21
_____. *See* Kurita H, 934
_____. *See* Sasaki T, 285
KIRKPATRICK PJ. *See* Czosnyka M, 802
KISHIKAWA M. *See* Nakajima Y, 663
KISHIMA H, SHIMIZU K, MIYAO Y, MABUCHI E, HAYAKAWA T. Possible common origin of α-fetoprotein and human chorionic gonadotropin-secreting cells in intracranial germ cell tumor. Case report, 576
KITAI R. *See* Kabuto M, 949
KITCHEN ND. *See* Dorward NL, 656
KLEINHOLZ M. *See* Wagner KR, 1058
KO K. Superimposed holographic image–guided neurosurgery. Technical note, 777
KOBATA H, KONDO A, IWASAKI K, KUSAKA H, ITO H, SAWADA S. Chordoid meningioma in a child. Case report, 319
KOBAYASHI H. *See* Kabuto M, 949
KOBAYASHI N. *See* Mizushima H, 590
KOCAMAN S. *See* Erşahin Y, 57
KOCH HU. *See* Schrell UMH, 541
KOCHANEK PM. *See* Forbes ML, 549
KODERA T. *See* Kabuto M, 949
KOLLAR EM. *See* Cinalli G, 209
KOMIYA T. *See* Mamata Y, 670
KONDO A. Follow-up results of using microvascular decompression for treatment of glossopharyngeal neuralgia, 221
_____. *See* Kobata H, 319
KONDO S. *See* Toms SA, 884
KOOS WT, DAY JD, MATULA C, LEVY DI. Neurotopographic considerations in the microsurgical treatment of small acoustic neurinomas, 506
KOPYOV O. *See* Duma CM, 1044
KOVACS K, HORVATH E, STEFANEANU L, BILBAO J, SINGER W, MULLER PJ, THAPAR K, STONE E. Pituitary adenoma producing growth hormone and adrenocorticotropin. A histological, immunocytochemical, electron microscopic and in situ hybridization study. Case report, 1111
KOYANAGI I, IWASAKI Y, HIDA K, IMAMURA H, ABE H. Magnetic resonance imaging findings in ossification of the posterior longitudinal ligament of the cervical spine, 247
KRAKOW K. *See* Vajkoczy P, 855
KRAUSS JK. Localizing pallidotomy lesions. Letter, 1126
KREBS AJ. *See* Sakas DE, 471
KRISCHEK B. *See* Pirotte B, 129
KUBOTA T. *See* Kabuto M, 949
KULKARNI AV, BILBAO JM, CUSIMANO MD, MULLER PJ. Malignant transformation of ganglioneuroma into spinal neuroblastoma in an adult. Case report, 324
KURATA H. *See* Miyake S, 331
KURIHARA J. *See* Yoshino A, 581
KURITA H, MAEDA K, KIRINO T. Arteriovenous malformations and vasospasm. Letter, 934
_____. *See* Sasaki T, 285
KUSAKA H. *See* Kobata H, 319
KUWAYAMA N. *See* Endo S, 449
KWAN AL. *See* Toyoda T, 1082

LAM AM. *See* Gurevich B, 1066
LAM DJ. *See* Elliott JP, 277
LANDOLT AM, HALLER D, LOMAX N, SCHEIB S, SCHUBIGER O, SIEGFRIED J, WELLIS G. Stereotactic radiosurgery for recurrent surgically treated acromegaly: comparison with fractionated radiotherapy, 1002
LARSON JJ, BALL WS, BOVE KE, CRONE KR, TEW JM JR. Formation of intracerebral cavernous malformations after brain radiation treatment for central nervous system neoplasia in children, 51
LASNER TM, FLAMM ES. Smoking and vasospasm. Letter, 788
LASSILA R. Thrombin-antithrombin complex levels in subarachnoid hemorrhage. Letter, 615
LATRONICO N, RASULO FA, RECUPERO D, BEINDORF A, LIBERINI P, STEFINI R, CANDIANI A. Acute quadriplegia with delayed onset and rapid recovery. Case report, 769
LAURYSSEN C. *See* Racette BA, 328
_____. *See* Wright NM, 634
LAWS ER JR. *See* McCarthy BJ, 831
LE ROUX PD, WINN HR. Arteriovenous oxygen difference in head injury. Letter, 1123
_____. *See* Elliott JP, 277
LEANDRI M. Generator sites of early scalp potentials evoked from the three trigeminal branches, 718
LEBEDEVA S. *See* Dorigo O, 535
LEBER KA, BERGLÖFF J, PENDL G. Dose-response tolerance of the visual pathways and cranial nerves of the cavernous sinus to stereotactic radiosurgery, 43
LEBLANC R, BEKHOR S, MELANSON D, CARPENTER S. Diffuse craniospinal seeding from a benign fourth ventricle choroid plexus papilloma. Case report, 757
_____. *See* Clarke DB, 116
LEE KS. *See* Toyoda T, 1082
LEE PA. *See* Albright AL, 353
LEFRANCQ T. *See* Destrieux C, 743
LEGUERINEL C. *See* Minassian AT, 996
LEIGHTON CE. *See* Fisher BJ, 969
LEIPZIG TJ. *See* Payner TD, 441
LELLOUCH-TUBIANA A. *See* Pencalet P, 521
LENKINSKI RE. *See* Cecil KM, 795
LEVIVIER M. *See* Pirotte B, 129
LEVY DI. *See* Koos WT, 506
LEWIS DH. *See* Elliott JP, 277
LEWIS PJ, MORELAND DB, YU YJ, CLABEAUX DE, ASCH HL. Outpatient cervical spine surgery. Letter, 358
LI H. *See* Robertson PL, 695
LIBERINI P. *See* Latronico N, 769
LIN JJ, CHANG DC. The anatomy of tremor. Letter, 354
LINDQUIST C. *See* Karlsson B, 293
LIU J. *See* Toms SA, 884
LOBATO RD, GOMEZ PA, RIVAS JJ. Arteriovenous malformations and vasospasm. Letter, 934
LODI C. *See* Minassian AT, 996
LOMAX N. *See* Landolt AM, 1002
LONSER RR, HEISS JD, OLDFIELD EH. Tumor devascularization by intratumoral ethanol injection during surgery. Technical note, 923
LOPEZ R. *See* Eisenberg MB, 895
LÓPEZ-OBARRIO L. *See* Pujol J, 863
LUDECKE DK. Pituitary adenomas. Letter, 789

Index

LUZ G. *See* Kampfl A, 809

MABUCHI E. *See* Kishima H, 576
MACDONALD DR. *See* Fisher BJ, 969
MAEDA K. *See* Kurita H, 934
MAEDA S. *See* Isoe S, 529
MALESSY MJA, THOMEER RTWM. Evaluation of intercostal to musculocutaneous nerve transfer in reconstructive brachial plexus surgery, 266
MAMATA Y, MURO I, MATSUMAE M, KOMIYA T, TOYAMA H, TSUGANE R, SATO O. Magnetic resonance cisternography for visualization of intracisternal fine structures, 670
MANABE H, FUJITA S, HATAYAMA T, SUZUKI S, YAGIHASHI S. Rerupture of a coil-embolized aneurysm during long-term observation. Case report, 1096
MANNON LJ. *See* Cecil KM, 795
MANWARING KH. *See* Baskin JJ, 478
MARCHAC D. *See* Cinalli G, 209
MARCHBANKS RJ. *See* Samuel M, 983
MARION DW. *See* Forbes ML, 549
MARK RJ. *See* Duma CM, 1044, 1122
MARSCHALEK R. *See* Schrell UMH, 541
MARTIN NA. *See* Obrist WD, 1122
MATSUMAE M. *See* Mamata Y, 670
MATSUMOTO K, TADA E, TAMESA N, TOMITA S, OHMOTO T. Stereotactic brachytherapy for a cystic metastatic brain tumor in the midbrain. Case report, 141
_____. *See* Mizushima H, 590
MATSUMOTO S, KANG Y, SATO S, KAWAKAMI Y, ODA Y, ARAKI M, KAWAMURA J, UCHIDA H. Spinal meningeal melanocytoma presenting with superficial siderosis of the central nervous system. Case report and review of the literature, 890
_____. *See* Oi S, 685
MATSUO S. *See* Kim P, 21
MATTA BF. *See* Czosnyka M, 802
MATULA C. *See* Koos WT, 506
MAXWELL M, SHIH SD, GALANOPOULOS T, HEDLEY-WHYTE ET, COSGROVE GR. Familial meningioma: analysis of expression of neurofibromatosis 2 protein Merlin. Report of two cases, 562
MAYBERG MR. *See* Elliott JP, 277
MCCARTHY BJ, DAVIS FG, FREELS S, SURAWICZ TS, DAMEK DM, GRUTSCH J, MENCK HR, LAWS ER JR. Factors associated with survival in patients with meningioma, 831
MCCLUGGAGE CW. *See* Dauser RC, 177
MCFADZEAN RM, TEASDALE EM. Computerized tomography angiography in isolated third nerve palsies, 679
MCGUIRE-CULLEN P. *See* Robertson PL, 695
MCINTOSH TK. *See* Cecil KM, 795
MEDARY MB. *See* Terasaka S, 753
MEDELE RJ, STUMMER W, MUELLER AJ, STEIGER HJ, REULEN HJ. Terson's syndrome in subarachnoid hemorrhage and severe brain injury accompanied by acutely raised intracranial pressure, 851
MEGURO K. *See* Yanaka K, 601, 937
MEHTA V, HONG M, SPEARS J, MENDEZ I. Graft survival and sensorimotor behavioral recovery after exposure of dopaminergic cells to glial cell-line derived neurotrophic factor prior to transplantation, 1088
MELANSON D. *See* Leblanc R, 757
MELON E. *See* Minassian AT, 996
MELTZER H, HATTON JD, U HS. Cell type-specific development of rodent central nervous system progenitor cells in culture, 93
MENCK HR. *See* McCarthy BJ, 831
MENDEZ I. *See* Mehta V, 1088
MENEZES AH. *See* Sawin PD, 255
MENOVSKY T. *See* van Overbeeke JJ, 336
MERKIND V. *See* Gurevich B, 1066
MEWES K. *See* Vitek JL, 1027
MEYER FB, WINDSCHITL WL. Repair of carotid endarterectomy with a collagen-impregnated fabric graft, 647
_____. *See* Schievink WI, 243
MEYER P. *See* Pencalet P, 521
MICHELSEN WJ. *See* Onesti ST, 106
MILBURN JM, MORAN CJ, CROSS DT III, DIRINGER MN, PILGRAM TK, DACEY RG JR. Increase in diameters of vasospastic intracranial arteries by intraarterial papaverine administration, 38
_____. *See* Moran CJ, 933
MILLER DC. *See* Constantini S, 936
MILLER GM. *See* Atkinson JLD, 237
MILSTEIN JM. *See* Robertson PL, 695
MINASSIAN AT, MELON E, LEGUERINEL C, LODI C, BONNET F, BEYDON L. Changes in cerebral blood flow during $PaCO_2$ variations in patients with severe closed head injury: comparison between the Fick method and transcranial Doppler, 996
MIRSEN T. Book review, 931
MISSON N. *See* Ide C, 773
MIYAGI Y, MIYAZONO M, KAMIKASEDA K. Spinal epidural vascular malformation presenting in association with a spontaneously resolved acute epidural hematoma. Case report, 909
MIYAKE S, TAMAKI N, NAGASHIMA T, KURATA H, EGUCHI T, KIMURA H. Idiopathic spinal cord herniation. Report of two cases and review of the literature, 331
MIYAMOTO T. *See* Ryu H, 605
MIYAO Y. *See* Kishima H, 576
MIYAZONO M. *See* Miyagi Y, 909
MIZUSHIMA H, KOBAYASHI N, SAWABE Y, HANAKAWA K, JINBO H, IIDA M, IWATA T, MATSUMOTO K. Epidural hematoma of the clivus. Case report, 590
MOAYERI NN, HENSON JW, SCHAEFER PW, ZERVAS NT. Spinal dural enhancement on magnetic resonance imaging associated with spontaneous intracranial hypotension. Report of three cases and review of the literature, 912
MOKRI B. *See* Atkinson JLD, 237
MORAN CJ, CROSS DT III, DIRINGER MN, MILBURN JM, DACEY RG JR. Treatment of vasospasm. Letter, 933
_____. *See* Milburn JM, 38
MORELAND DB. *See* Lewis PJ, 358
MORGAN H, ABOOD C. Disc herniation at T1–2. Report of four cases and literature review, 148
MORII K. *See* Yoshida S, 761
MORIMOTO T, OHTSUKA H, SAKAKI T, KAWAGUCHI M. Postlaminectomy cervical spinal cord compression demonstrated by dynamic magnetic resonance imaging. Case report, 155
MORIYAMA T. *See* Kim P, 21
MORREALE VM. *See* Schievink WI, 243
MORRIS GF, MURPHY K, RORKE LB, JAMES HE. Spinal hamartomas: a distinct clinical entity, 954
MOSS T. *See* Coakham HB, 617
MUELLER AJ. *See* Medele RJ, 851
MUELLER AL. *See* Gurevich B, 1066
MULLER PJ. *See* Kovacs K, 1111
_____. *See* Kulkarni AV, 324
MURAI Y, IKEDA Y, TERAMOTO A, TSUJI Y. Magnetic resonance imaging-documented extravasation as an indicator of acute hypertensive intracerebral hemorrhage, 650
MURO I. *See* Mamata Y, 670
MURPHY K. *See* Morris GF, 954
MUTLUER S. *See* Erşahin Y, 57
MYERS RE. *See* Wagner KR, 1058
MYLES ST. *See* Brownlee RD, 1099

NAGAI S, YAMAMOTO N, WAKABAYASHI K, EMURA I, TAKEUCHI F, UMEMORI T, SATO S, ENDO S. Osteochondroma arising from the convexity dura mater. Case illustration, 610
NAGANUMA H. *See* Isoe S, 529
NAGASAKA M. *See* Isoe S, 529
NAGASEKI Y. *See* Nishigaya K, 1107
NAGASHIMA T. *See* Miyake S, 331
NAGATA K, NIKAIDO Y, YUASA T, FUJIMOTO K, KIM YJ, INOUE M. Germinoma causing wallerian degeneration. Case report and review of the literature, 126

NAKAGAWA T. *See* Kabuto M, 949
NAKAJIMA Y, YOSHIMINE T, YOSHIDA H, SAKASHITA K, OKAMOTO M, KISHIKAWA M, YAGI K, YOKOTA J, HAYAKAWA T. Computerized tomography angiography of ruptured cerebral aneurysms: factors affecting time to maximum contrast concentration, 663
NAKANO S. *See* Isoe S, 529
NAKAYAMA T, TANAKA K, KANEKO M, YOKOYAMA T, UEMURA K. Thrombolysis and angioplasty for acute occlusion of intracranial vertebrobasilar arteries. Report of three cases, 919
NARUSHIMA K. *See* Yanaka K, 601
NATHAN G. *See* Terasaka S, 753
NEAL J. *See* Broaddus WC, 734
NEMOTO S. *See* Sasaki T, 285
NEWELL DW. *See* Elliott JP, 277
NG HK, POON WS. Primary leptomeningeal astrocytoma. Case report, 586
NIKAIDO Y. *See* Nagata K, 126
NISHIGAYA K, KANEKO M, NAGASEKI Y, NUKUI H. Palatal myoclonus induced by extirpation of a cerebellar astrocytoma. Case report, 1107
_____, _____, OHASHI Y, NUKUI H. Intradural retroclival chordoma without bone involvement: no tumor regrowth 5 years after operation. Case report, 764
NISHIJIMA M. *See* Endo S, 449
NISHIKAWA M, SAKAMOTO H, KATSUYAMA J, HAKUBA A, NISHIMURA S. Multiple appearing and vanishing aneurysms: primary angiitis of the central nervous system. Case report, 133
NISHIMURA S. *See* Nishikawa M, 133
NISHIZAWA S. *See* Yokoyama T, 1125
NISOLLE JF. *See* Ide C, 773
NOSE T. *See* Yanaka K, 601, 937
NOZUE M. *See* Ryu H, 232
NUKUI H. *See* Isoe S, 529
_____. *See* Nishigaya K, 1107
NUKUI H. *See* Nishigaya K, 764

OAKES WJ. *See* Iskandar BJ, 958
OBRIST WD, MARTIN NA. Arteriovenous oxygen difference in head injury. Letter, 1122
ODA Y. *See* Matsumoto S, 890
OFFIN R. *See* Wardlaw JM, 272
OHASHI Y. *See* Nishigaya K, 764
OHMOTO T. *See* Matsumoto K, 141
OHTSUKA H. *See* Morimoto T, 155
OI S, HONDA Y, HIDAKA M, SATO O, MATSUMOTO S. Intrauterine high-resolution magnetic resonance imaging in fetal hydrocephalus and prenatal estimation of postnatal outcomes with "perspective classification", 685
OKAMOTO M. *See* Nakajima Y, 663
OLAN WJ. *See* Ziyal IM, 1050
OLDFIELD EH. Pituitary adenomas. Letter, 789
_____. *See* Horky LL, 298
_____. *See* Lonser RR, 923
_____. *See* Pluta RM, 557
OLREE KS. *See* Engsberg JR, 1020
ONESTI ST, ASHKENAZI E, MICHELSEN WJ. Transparaspinal exposure of dumbbell tumors of the spine. Report of two cases, 106
ONOFRIO BM. Decompressive laminectomy for spinal stenosis. Letter, 790
OSBOURNE D. *See* Baldwin SA, 874
OSHIMA H. *See* Kihara K, 726
OTSUKA G, SAITO K, YOSHIDA T, SUZUKI Y, YOSHIDA J. Hemorrhagic skull pseudotumor associated with idiopathic thrombocytopenic purpura. Case illustration, 929
OYESIKU NM. Book review, 787

PACKER RJ. *See* Robertson PL, 695
PAINTER MJ. *See* Albright AL, 73
PARK TS. *See* Engsberg JR, 1020
PARKER WD. *See* Blacklock JB, 358
PARKINSON D. Book review, 325
PAYNER TD, HORNER TG, LEIPZIG TJ, SCOTT JA, GILMOR RL, DENARDO AJ. Role of intraoperative angiography in the surgical treatment of cerebral aneurysms, 441
PENCALET P, SAINTE-ROSE C, LELLOUCH-TUBIANA A, KALIFA C, BRUNELLE F, SGOUROS S, MEYER P, CINALLI G, ZERAH M, PIERRE-KAHN A, RENIER D. Papillomas and carcinomas of the choroid plexus in children, 521
PENDL G. *See* Leber KA, 43
PERLMUTTER JS. *See* Racette BA, 328
PETER JC. *See* Subramanian N, 1014
PFAUSLER B. *See* Kampfl A, 809
PFEIFER SM. *See* Zager EL, 827
PICKARD JD. *See* Czosnyka M, 802
PIEPGRAS DG, KHURANA VG, WHISNANT JP. Ruptured giant intracranial aneurysms. Part II. A retrospective analysis of timing and outcome of surgical treatment, 430
_____. *See* Atkinson JLD, 237
_____. *See* Khurana VG, 425
_____. *See* Schievink WI, 243
PIERRE-KAHN A. *See* Cinalli G, 209
_____. *See* Pencalet P, 521
PIKUS HJ, BEACH ML, HARBAUGH RE. Microsurgical treatment of arteriovenous malformations: analysis and comparison with stereotactic radiosurgery, 641
PILGRAM TK. *See* Milburn JM, 38
PIROTTE B, KRISCHEK B, LEVIVIER M, BOLYN S, BRUCHER JM, BROTCHI J. Diagnostic and microsurgical presentation of intracranial angiolipomas. Case report and review of the literature, 129
PITTS LW. *See* Irving RM, 840
PLUTA RM, AFSHAR JKB, BOOCK RJ, OLDFIELD EH. Temporal changes in perivascular concentrations of oxyhemoglobin, deoxyhemoglobin, and methemoglobin after subarachnoid hemorrhage, 557
_____. *See* Horky LL, 298
POFF BC. *See* Alleyne CH Jr., 308
POHLMANN-EDEN B. *See* Vajkoczy P, 855
POLIN RS, KASSELL NF. Treatment of vasospasm. Letter, 933
POON WS. *See* Hsiang JNK, 613
_____. *See* Ng HK, 586
PORTER RW. *See* Detwiler PW, 617
POSTMA GN. *See* Hart AKE, 151
POWELL MD. *See* Alleyne CH Jr., 308
PRABHU SS. *See* Broaddus WC, 734
PREUL MC, FEINDEL W, DAGI TF, STRATFORD J, BERTRAND G. Arthur Roland Elvidge (1899–1985): contributions to the diagnosis of brain tumors and cerebrovascular disease, 162
PRICE R. *See* Wardlaw JM, 846
PUJOL J, CONESA G, DEUS J, LÓPEZ-OBARRIO L, ISAMAT F, CAPDEVILA A. Clinical application of functional magnetic resonance imaging in presurgical identification of the central sulcus, 863

QUARTEY GRC. *See* Clarke DB, 116
QUINN B. Diagnosis of ganglioglioma. Letter, 935
QUINT DJ. *See* Colón GP, 226

RACETTE BA, LAURYSSEN C, PERLMUTTER JS. Preoperative treatment with botulinum toxin and cervical fusion in dystonic cerebral palsy. Report of two cases, 328
RAJSHEKHAR V. *See* Choudhury R, 930
RAMOS LMP. *See* Tulleken CAF, 925
RAPS EC. Book review, 172
RASULO FA. *See* Latronico N, 769
RECUPERO D. *See* Latronico N, 769
REINPRECHT A. *See* Gruber A, 28
REKATE HL. *See* Baskin JJ, 478

Index

RENIER D. *See* Cinalli G, 209
_____. *See* Pencalet P, 521
REULEN HJ. *See* Medele RJ, 851
_____. *See* Zevgaridis D, 903
REVESZ T. *See* Steel TR, 122
RICH JC. Academic chairmen. Letter, 176
RICH KM. *See* Vogelbaum MA, 99
RICHLING B. *See* Gruber A, 28
RIVAS JJ. *See* Lobato RD, 934
ROBERTSON JT, CUMMINS BH, GILL SS. Artificial cervical joint. Letter, 1121
_____. *See* Cummins BH, 943
ROBERTSON PL, ZELTZER PM, BOYETT JM, RORKE LB, ALLEN JC, GEYER JR, STANLEY P, LI H, ALBRIGHT AL, MCGUIRE-CULLEN P, FINLAY JL, STEVENS KR JR., MILSTEIN JM, PACKER RJ, WISOFF J. Survival and prognostic factors following radiation therapy and chemotherapy for ependymomas in children: a report of the Children's Cancer Group, 695
ROCK JP. *See* Abdulrauf SI, 513
RORKE LB. *See* Morris GF, 954
_____. *See* Robertson PL, 695
ROSEGAY H. Error in anatomical detail? Letter, 790
ROSENBLUM ML. *See* Abdulrauf SI, 513
ROSS DA. Thalamotomy for parkinsonian tremor. Letter, 1121
_____. *See* Colón GP, 226, 346
ROSS SA. *See* Engsberg JR, 1020
RUSSELL JL. *See* Block JE, 354
RYE D. *See* Vitek JL, 1027
RYU H, YAMAMOTO S, SUGIYAMA K, UEMURA K, MIYAMOTO T. Hemifacial spasm caused by vascular compression of the distal portion of the facial nerve. Report of seven cases, 605
_____, _____, _____, _____, NOZUE M. Neurovascular decompression of the eighth cranial nerve in patients with hemifacial spasm and incidental tinnitus: an alternative way to study tinnitus, 232

SAINTE-ROSE C. *See* Boch AL, 975
_____. *See* Cinalli G, 209
_____. *See* Pencalet P, 521
SAITO I. *See* Sasaki T, 285
SAITO K, FUKUTA K, TAKAHASHI M, SEKI Y, YOSHIDA J. Benign fibro-osseous lesions involving the skull base, paranasal sinuses, and nasal cavity. Report of two cases, 1116
_____. *See* Otsuka G, 929
SAKAKI T. *See* Morimoto T, 155
SAKAMOTO H. *See* Nishikawa M, 133
SAKAS DE, BEALE DJ, AMEEN AA, WHITWELL HL, WHITTAKER KW, KREBS AJ, ABBASI KH, DIAS PS. Compound anterior cranial base fractures: classification using computerized tomography scanning as a basis for selection of patients for dural repair, 471
SAKASHITA K. *See* Nakajima Y, 663
SALAS E. *See* Ziyal IM, 1050
SAMPSON JH, CARTER JH JR., FRIEDMAN AH, SEIGLER HF. Demographics, prognosis, and therapy in 702 patients with brain metastases from malignant melanoma, 11
SAMUEL M, BURGE DM, MARCHBANKS RJ. Tympanic membrane displacement testing in regular assessment of intracranial pressure in eight children with hydrocephalus, 983
SANDEL ME. *See* Cecil KM, 795
SARTORIUS CJ, BERGER MS. Rapid termination of intraoperative stimulation-evoked seizures with application of cold Ringer's lactate to the cortex. Technical note, 349
SASAKI A. *See* Isoe S, 529
SASAKI T, KURITA H, SAITO I, KAWAMOTO S, NEMOTO S, TERAHARA A, KIRINO T, TAKAKURA K. Arteriovenous malformations in the basal ganglia and thalamus: management and results in 101 cases, 285
_____. *See* Fujimaki T, 617
SATO K. *See* Kihara K, 726
SATO O. *See* Mamata Y, 670
_____. *See* Oi S, 685
SATO S. *See* Matsumoto S, 890
_____. *See* Nagai S, 610
SATOH E. *See* Isoe S, 529
SAWABE Y. *See* Mizushima H, 590
SAWADA S. *See* Kobata H, 319
SAWAMURA Y, SHIRATO H, IKEDA J, TADA M, ISHII N, KATO T, ABE H, FUJIEDA K. Induction chemotherapy followed by reduced-volume radiation therapy for newly diagnosed central nervous system germinoma, 66
SAWHNEY AS. *See* Alleyne CH Jr., 308
SAWIN PD, TRAYNELIS VC, MENEZES AH. A comparative analysis of fusion rates and donor-site morbidity for autogeneic rib and iliac crest bone grafts in posterior cervical fusions, 255
SCHAEFER PW. *See* Moayeri NN, 912
SCHEFF SW. *See* Baldwin SA, 874
SCHEIB S. *See* Landolt AM, 1002
SCHIDING JK. *See* Forbes ML, 549
SCHIEVINK WI, MORREALE VM, ATKINSON JLD, MEYER FB, PIEPGRAS DG, EBERSOLD MJ. Surgical treatment of spontaneous spinal cerebrospinal fluid leaks, 243
SCHMIEDEK P. *See* Vajkoczy P, 855
SCHMUTZHARD E. *See* Kampfl A, 809
SCHNEIDER BF, EBERHARD DA, STEINER LE. Radiosurgery and AVM histopathology. Letter, 357
SCHOCKE M. *See* Kampfl A, 809
SCHRAUZER T. *See* Schrell UMH, 541
SCHRELL UHM. Hydroxyurea for treatment of meningioma. Letter, 938
_____, KOCH HU, MARSCHALEK R, SCHRAUZER T, ANDERS M, ADAMS E, FAHLBUSCH R. Formation of autocrine loops in human cerebral meningioma tissue by leukemia inhibitor factor, interleukin-6, and oncostatin M: inhibition of meningioma cell growth in vitro by recombinant oncostatin M, 541
SCHROEDER HWS. *See* Gaab MR, 496
SCHUBIGER O. *See* Landolt AM, 1002
SCOTT JA. *See* Payner TD, 441
SCOTT RM. Dural inversion for moyamoya disease. Letter, 177
SEIGLER HF. *See* Sampson JH, 11
SEKHAR LN. *See* Ziyal IM, 1050
SEKI Y. *See* Saito K, 1116
SEVICK RJ. *See* Brownlee RD, 1099
SGOUROS S. *See* Boch AL, 975
_____. *See* Pencalet P, 521
SHAFFREY CI. *See* Hart AKE, 151
SHAPIRA Y. *See* Gurevich B, 1066
SHEEHAN J. *See* Helm GA, 355
SHIH SD. *See* Maxwell M, 562
SHIMIZU K. *See* Kishima H, 576
SHIRATO H. *See* Sawamura Y, 66
SHULTZ B. *See* Albright AL, 73
SHUTTER L. Book review, 786
SIEGFRIED J. *See* Landolt AM, 1002
SINGER W. *See* Kovacs K, 1111
SINGOUNAS E. *See* Stranjalis G, 782
SINSON GP. *See* Cecil KM, 795
SMIELEWSKI P. *See* Czosnyka M, 802
SMITH DH. *See* Cecil KM, 795
SNIPES GJ. *See* Clarke DB, 116
SPEARS J. *See* Mehta V, 1088
SPEKTOR S, WEINBERGER G, CONSTANTINI S, GOMORI JM, BENI-ADANI L. Giant lateral sinus pericranii. Case report, 145
SPETZLER RF. *See* Detwiler PW, 617
_____. *See* Vishteh AG, 928
STANEK AE. *See* Eisenberg MB, 895
STANLEY P. *See* Robertson PL, 695
STATHAM PFX. *See* Wardlaw JM, 846
STEEL TR, ALLIBONE J, REVESZ T, D'ARRIGO C, CROCKARD HA. Intradural neurotropic spread of malignant mesothelioma. Case report and review of the literature, 122
STEFANEANU L. *See* Kovacs K, 1111
STEFINI R. *See* Latronico N, 769
STEIGER HJ. *See* Medele RJ, 851
STEIN SC. High-risk minor head injury. Letter, 613
STEINBOK P. *See* Stewart L, 340

STEINER L. *See* Karlsson B, 293
STEINER LE. *See* Schneider BF, 357
STEVENS KR JR. *See* Robertson PL, 695
STEWART L, STEINBOK P, DAABOUL J. Role of surgical resection in the treatment of hypothalamic hamartomas causing precocious puberty. Report of six cases, 340
STEWART LL. Surgery for hypothalamic hamartomas. Letter, 353
STILLERMAN CB, CHEN TC, COULDWELL WT, ZHANG W, WEISS MH. Experience in the surgical management of 82 symptomatic herniated thoracic discs and review of the literature, 623
STITT L. *See* Fisher BJ, 969
STODIECK S. *See* Vajkoczy P, 855
STONE E. *See* Kovacs K, 1111
STRANJALIS G, SINGOUNAS E. Development of neurosurgery in Greece: past, present, and future, 782
STRATFORD J. *See* Preul MC, 162
STUMMER W. *See* Medele RJ, 851
SUBRAMANIAN N, VAUGHAN CL, PETER JC, ARENS LJ. Gait before and 10 years after rhizotomy in children with cerebral palsy spasticity, 1014
SUGIYAMA K. *See* Ryu H, 232, 605
_____. *See* Yokoyama T, 1125
SURAWICZ TS. *See* McCarthy BJ, 831
SUZUKI S. *See* Manabe H, 1096
SUZUKI Y. *See* Otsuka G, 929
SZEIFERT GT. Radiosurgery and AVM histopathology. Letter, 356

TADA E. *See* Matsumoto K, 141
TADA M. *See* Sawamura Y, 66
TAKAHASHI M. *See* Saito K, 1116
TAKAKU A. *See* Endo S, 449
_____. *See* Hirashima Y, 304
TAKAKURA K. *See* Sasaki T, 285
TAKANO S. *See* Yanaka K, 601
TAKEUCHI F. *See* Nagai S, 610
TALMOR D. *See* Gurevich B, 1066
TAMAKI N. *See* Miyake S, 331
TAMESA N. *See* Matsumoto K, 141
TANAKA K. *See* Nakayama T, 919
TANS JTJ. *See* Boon AJW, 490
TASHIRO Y, DRAKE JM. Reversibility of functionally injured neurotransmitter systems with shunt placement in hydrocephalic rats: implications for intellectual impairment in hydrocephalus, 709
TEASDALE EM. *See* McFadzean RM, 679
_____. *See* Wardlaw JM, 272
TEASDALE GM. *See* Wardlaw JM, 272
TERAHARA A. *See* Sasaki T, 285
TERAMOTO A. *See* Murai Y, 650
TERASAKA S, MEDARY MB, WHITING DM, FUKUSHIMA T, ESPEJO EJ, NATHAN G. Prolonged survival in a patient with sinonasal teratocarcinosarcoma with cranial extension. Case report, 753
TEW JM JR. *See* Larson JJ, 51
THAPAR K. *See* Kovacs K, 1111
THOMAS DGT. *See* Dorward NL, 656
_____. *See* Hart AJ, 1104
THOMEER RTWM. *See* Malessy MJA, 266
TOLCHIN S. Academic chairmen. Letter, 177
TOMARAS CR. *See* Blacklock JB, 358
TOMASELLO F. *See* Germanó A, 1075
TOMATIR E. Percutaneous ventriculoatrial shunts. Letter, 1124
TOMITA S. *See* Matsumoto K, 141
TOMIYASU U. *See* Alexander MJ, 111
TOMS SA, HERCBERGS A, LIU J, KONDO S, HAQQI T, CASEY G, IWASAKI K, BARNETT GH, BARNA BP. Antagonistic effect of insulin-like growth factor I on protein kinase inhibitor-mediated apoptosis in human glioblastoma cells in association with bcl-2 and bcl-x_L, 884
TONG JX. *See* Vogelbaum MA, 99
TOROSIAN MH. *See* Zager EL, 827
TOYAMA H. *See* Mamata Y, 670
TOYODA T, KWAN AL, BAVBEK M, KASSELL NF, WANEBO J, LEE KS. Enhanced endogenous antioxidant activity and inhibition of cerebral vasospasm in rabbits by pretreatment with a nontoxic endotoxin analog, monophosphoryl A, 1082
TRAYNELIS VC. *See* Sawin PD, 255
TRIGAUX JP. *See* Ide C, 773
TSUGANE R. *See* Mamata Y, 670
TSUJI Y. *See* Murai Y, 650
TSUTSUMI K. Chronic subdural hematoma. Letter, 938
TUITE GF. *See* Dauser RC, 177
TULLEKEN CAF, VAN DER ZWAN A, VAN ROOIJ WJ, RAMOS LMP. High-flow bypass using the nonocclusive excimer laser-assisted end-to-side anastomosis of the external carotid artery to the P_1 segment of the posterior cerebral artery via the sylvian route. Technical note, 925
TURLA ST. *See* Dorigo O, 535
TURNER R. *See* Vitek JL, 1027
TURSKI PA. *See* Allen JC, 215

U HS. *See* Meltzer H, 93
UCHIDA H. *See* Matsumoto S, 890
UEMURA K. *See* Nakayama T, 919
_____. *See* Ryu H, 232, 605
_____. *See* Yokoyama T, 1125
UMEMORI T. *See* Nagai S, 610
UZAN M, ÇIPLAK N, DASHTI SGR, BOZKUS H, ERDINÇLER P, AKMAN C. Depressed skull fracture overlying the superior sagittal sinus as a cause of benign intracranial hypertension. Case report, 598

VAJKOCZY P, KRAKOW K, STODIECK S, POHLMANN-EDEN B, SCHMIEDEK P. Modified approach for the selective treatment of temporal lobe epilepsy: transsylvian-transcisternal mesial en bloc resection, 855
VAJTAI I, VARGA Z. Origin of de novo central nervous system cavernomas. Letter, 616
VAN DEN BRINK WA, HAITSMA I, DEJONG DA. Zero drift in pressure monitors. Letter, 615
VANDER KOLK C. *See* Helfaer MA, 704
VANDERTOP WP, VERDAASDONK RM, VAN SWOL CFP. Laser-assisted neuroendoscopy using a neodymium-yttrium aluminum garnet or diode contact laser with pretreated fiber tips, 82
VAN DER ZWAN A. *See* Tulleken CAF, 925
VAN OVERBEEKE JJ, CRUYSBERG JRM, MENOVSKY T. Intracranial repair of a divided trochlear nerve. Case report, 336
VAN ROOIJ WJ. *See* Tulleken CAF, 925
VAN SWOL CFP. *See* Vandertop WP, 82
VARGA Z. *See* Vajtai I, 616
VAUGHAN CL. *See* Subramanian N, 1014
VELANI B. *See* Dorward NL, 656
VELUT S. *See* Destrieux C, 743
VERDAASDONK RM. *See* Vandertop WP, 82
VISHTEH AG, APOSTOLIDES PJ, DEAN B, SPETZLER RF. Magnetic resonance image of postcraniotomy retained cotton or rayon. Case illustration, 928
VITAL A. Langerhans' cell histocytosis. Letter, 790
VITEK JL, BAKAY RAE, HASHIMOTO T, KANEOKE Y, MEWES K, ZHANG JY, RYE D, BARON M, TURNER R, DELONG MR. Microelectrode-guided pallidotomy: technical approach and application for patients with medically intractable Parkinson's Disease, 1027
VOGELBAUM MA, TONG JX, HIGASHIKUBO R, GUTMANN DH, RICH KM. Transfection of C6 glioma cells with the *bax* gene and increased sensitivity to treatment with cytosine arabinoside, 99

Index

Waeg G. *See* Baldwin SA, 874
Wagner KR, Xi G, Hua Y, Kleinholz M, de Courten-Myers GM, Myers RE. Early metabolic alterations in edematous perihematomal brain regions following experimental intracerebral hemorrhage, 1058
Wakabayashi K. *See* Nagai S, 610
Wakai S. *See* Kim P, 21
_____. *See* Yoshimoto Y, 485
Wanebo J. *See* Toyoda T, 1082
Wardlaw JM, Cannon J, Statham PFX, Price R. Does the size of intracranial aneurysms change with intracranial pressure? Observations based on color "power" transcranial Doppler ultrasound, 846
_____, Offin R, Teasdale GM, Teasdale EM. Is routine transcranial Doppler ultrasound monitoring useful in the management of subarachnoid hemorrhage? 272
Watanabe T. *See* Yoshino A, 581
Weinberger G. *See* Spektor S, 145
Weinshenker BG. *See* Atkinson JLD, 237
Weis S. *See* Zevgaridis D, 903
Weiss MH. *See* Stillerman CB, 623
Wellis G. *See* Landolt AM, 1002
Weprin BE, Hall WA, Goodman J, Adams GL. Long-term survival in rhinocerebral mucormycosis. Case report, 570
Whisnant JP. *See* Khurana VG, 425
_____. *See* Piepgras DG, 430
Whiting DM. *See* Terasaka S, 753
Whittaker KW. *See* Sakas DE, 471
Whitwell HL. *See* Sakas DE, 471
Windschitl WL. *See* Meyer FB, 647
Winn HR. *See* Elliott JP, 277
_____. *See* Le Roux PD, 1123
Wisoff J. *See* Robertson PL, 695
Wright NM, Lauryssen C. Vertebral artery injury in C1–2 transarticular screw fixation: results of a survey of the AANS/CNS Section on Disorders of the Spine and Peripheral Nerves, 634
Wurzer HAL. *See* Boon AJW, 490

Xi G. *See* Wagner KR, 1058

Yagi K. *See* Nakajima Y, 663
Yagihashi S. *See* Manabe H, 1096
Yamamoto N. *See* Nagai S, 610
Yamamoto S. *See* Ryu H, 232, 605
Yanaka K, Meguro K, Narushima K, Takano S, Doi M, Nose T. Basal perforating artery aneurysm within the cavum septi pellucidi. Case report, 601
_____, _____, Nose T. Chronic subdural hematoma. Letter, 937
Yang XY. *See* Abdulrauf SI, 513
Yates AJ. *See* Allen JC, 215
Yokota J. *See* Nakajima Y, 663
Yokoyama T, Sugiyama K, Nishizawa S, Uemura K, Ito T. Localizing pallidotomy lesions. Letter, 1125
_____. *See* Nakayama T, 919
Yoshida H. *See* Nakajima Y, 663
Yoshida J. *See* Otsuka G, 929
_____. *See* Saito K, 1116
Yoshida S, Morii K. Brain metastasis from germinal tumors of the testis. Case report, 761
Yoshida T. *See* Otsuka G, 929
Yoshimine T. *See* Nakajima Y, 663
Yoshimoto Y, Wakai S, Hamano M. External hydrocephalus after aneurysm surgery: paradoxical response to ventricular shunting, 485
Yoshino A, Katayama Y, Watanabe T, Kurihara J, Kimura SY. Multiple choroid plexus papillomas of the lateral ventricle distinct from villous hypertrophy. Case report, 581
Young HF. *See* Broaddus WC, 734
Young T. *See* Hsiang JNK, 613
Yu ALM. *See* Hsiang JNK, 613
Yu YJ. *See* Lewis PJ, 358
Yuasa T. *See* Nagata K, 126

Zabramski JM. *See* Detwiler PW, 617
Zager EL, Pfeifer SM, Brown MJ, Torosian MH, Hackney DB. Catamenial mononeuropathy and radiculopathy: a treatable neuropathic disorder, 827
Zeltzer PM. *See* Robertson PL, 695
Zerah M. *See* Cinalli G, 209
_____. *See* Pencalet P, 521
Zervas NT. *See* Moayeri NN, 912
Zevgaridis D, Büttner A, Weis S, Hamburger C, Reulen HJ. Spinal epidural cavernous hemangiomas. Report of three cases and review of the literature, 903
Zhang JY. *See* Vitek JL, 1027
Zhang W. *See* Stillerman CB, 623
Ziyal IM, Sekhar LN, Salas E, Olan WJ. Combined supra/infratentorial–transsinus approach to large pineal region tumors, 1050

Subject Index

Abscess

Abscess formation within a parasagittal meningioma. Case report, 895

Long-term survival in rhinocerebral mucormycosis. Case report, 570

Abstracts

Abosch A, Tyrrell JB, Hannegan L, Lamborn K, Wilson CB. *Results of transsphenoidal microsurgery for growth hormone-secreting pituitary adenomas*, 392A

Amar A, Chen J, Levy M. *Anatomical models: their origins and role in early neuroanatomy*, 411A

_____, Couldwell WT, Weiss MH. *Predictive value of immediate serum prolactin levels following transsphenoidal surgery*, 392A

Barolat G, Ketcik B. *Long-term outcome of spinal cord stimulation for chronic pain management*, 418A

Bejjani GK, Pait TG, Caputy AJ, Sullivan BJ. *Neurosurgery in the nation's capital: a historical note*, 410A

_____, Sullivan BJ, Spence C. *The conquest of the skull base*, 409A

Bergman WC, Shatsky SA, Schulz RA. *An analysis of Harvey Cushing's philosophy on the management of head injury*, 411A

Black PM, Alexander E III, Martin C, Moriarty T, Schwartz R. *Craniotomy for tumor in an MR imaging unit*, 402A

_____, Hakim R, Alexander E III, Loeffler JS, Shrieve D. *Results of linear accelerator-based radiosurgery for intracranial meningiomas*, 394A

_____, Villavicencio AT, Loeffler JS. *Aggressive surgery and focal radiation in the management of meningiomas of the skull base: preservation of function with maintenance of local control*, 423A

Boulis NM, Bobek MP, Schmaier A, Hoff JT. *Rapid correction of warfarin coagulopathy in intracranial hemorrhage*, 421A

Bowles AP Jr. *Treatment of paraclinoidal artery aneurysms*, 182A

Broggi G, Servello D, Franzini A, Dones I, Girotti F. *Deep-brain stimulation in Parkinson's disease: indications and results*, 388A

Brown J, Gouda JJ, Sangvai D. *Percutaneous balloon compression for trigeminal neuralgia: results in 183 consecutive patients*, 417A

Brown JA, Simon C, Sangvai DG, Preul MC. *Mercury water and cauterizing stones: Nicolaus André and tic douloureux*, 386A

Cahill DW. *The use of pedicle or pars screws in long-segment subaxial posterior cervical fusion*, 419A

Campbell JW, Pollack IF, Hamilton R, Shultz B. *Cerebellar astrocytomas in the age of modern imaging*, 411A

Caragine LP, Park HK, Wells AM, Phillis J, Diaz FG. *Evaluation of real-time glutamate release in three models of rat cerebral ischemia*, 183A

Chang SD, Lopez JR, Steinberg GK. *Improved detection of neurological ischemia by simultaneous monitoring with SSEPs and BAEPs during posterior circulation cerebrovascular surgery*, 189A

Charbel FY, Misra M, Clark ME, Alp MS, Nabhani T, Aletich V, Debrun G, Ausman JI. *Computational modeling of cerebral blood flow during carotid artery occlusion*, 185A

Christensen MD, Hulssebosch C. *NGF and anti-NGF treatment of chronic pain following spinal cord injury*, 417A

Cockroft KM, Marcellus ML, Marks MP, Huhn SL, Steinberg GK. *Multimodality management of high-flow AVMs in pediatric patients*, 184A, 408A

Cohen A, Leifer D, Lewin J, Lust WD. *Radiographic and morphological characterization of a new model of hydrocephalus in transgenic mice*, 412A

Conway J, Oshiro E, Tamargo R. *Ventricular blood is an admission CT variable that predicts poor clinical outcome after aneurysmal subarachnoid hemorrhage*, 398A

Cowell J, Chernova O, Miller D, Barnett G. *Gene rearrangements in malignant gliomas*, 424A

David C, Vishteh AG, Lemole M, Lawton M, Partovi S, Spetzler RF. *Late angiographic follow up of surgically treated aneurysms: recurrence, de novo formation, and the fate of residuals*, 187A, 395A

Davis J, Sampath P, Bendebba M, Ducker T. *Outcome analysis of patients with isolated neck pain in the United States: results of the Cervical Spine Research Society Study*, 387A

Dickman CA, Rosenthal D, Madallozo L, Sonntag VKH. *Thoracoscopic microsurgical excision of herniated thoracic discs*, 387A

_____, Sonntag VKH. *Posterior C1–2 transarticular screw fixation for atlantoaxial arthrodesis*, 384A

Duma CM, Lunsford LD, Kondziolka D, Subach BR, Jacques DB. *Gamma knife radiosurgery of cavernous sinus meningiomas: results of a two-institution, 10-year experience*, 385A

Dureza CD, Fukushima T, Arriaga M. *Hearing preservation in 75 acoustic neuroma surgeries*, 395A

During M, Freese A, Sorgi F, Huang L, Bilaniuk L, Wang Z, Mayes LC, Seashore MR, Mee E, Leone P. *Intraventricular delivery for gene therapy in the fatal pediatric neurogenetic disorder, Canavan disease*, 413A

Durward QJ, Case JL. *Etomidate versus sodium pentothal for cerebral protection during carotid endarterectomy*, 186A

Epstein N. *Anterior cervical surgery without plate instrumentation in 245 patients*, 394A

_____. *Circumferential surgery for the management of cervical ossification of the posterior longitudinal ligament*, 420A

Eskandar EN, Assad JA. *The role of posterior parietal cortex in the visual guidance of movement*, 414A

Fehlings M, Agrawal S. *Novel mechanisms of calcium-mediated axonal injury after spinal cord trauma*, 422A

Feldkamp MM, Lau N, Guha A. *Expression of growth factor receptors in glioblastoma multiforme cell lines and tumor specimens: results in Ras activation and Ras-dependent tumor proliferation*, 422A

Firlik AD, Rubin G, Yonas H, Wechsler LR. *Utility of cerebral blood flow measurements in the prediction of the location of thromboembolic occlusion in acute stroke*, 185A

Firlik K, Mori Y, Kim YS, Kondziolka D, Flickinger J, Maitz A, Lunsford LD. *Do outcomes after radiosurgery differ for different metastatic brain tumors?* 401A

Fitzgerald L, Simpson R. *A new animal model of spasticity*, 416A

Flamm ES. *Origins of neurosurgery in the seventeenth century*, 410A

Foley K, Smith M. *Microendoscopic discectomy: surgical technique and initial clinical results*, 387A

Foley KT, Silveri CP, Vaccaro AR, Shah S, Garfin SR. *Atlantoaxial transarticular screw fixation: risk assessment and bone morphology using an image-guidance system*, 407A

Freese A, Young D, Silver D, Liu C, Davidson B, O'Connor MJ, Leone P, During MJ. *Correlation between number of transduced cells and behavioral recovery in a rat Parkinson's disease model following in vivo gene therapy*, 414A

Garton H, Kestle J, Drake J. *The value of clinical symptoms and signs in predicting shunt failure*, 386A

Ghodsi AS, Loftus CM, Traynelis VC, Quets J, Sato Y. *Evaluation of basilar artery aneurysms by helical computerized tomography angiography*, 182A

Ghogawala Z, Mulligan RC. *Genetically engineered cytotoxic T cells targeted against angiogenesis: a novel antitumor strategy*, 390A

Glick RP, Lichtor T, DeZoeten E, Cohen EP. *Prolongation of survival in mice with intracerebral glioma treated with semi-allogeneic/syngeneic fibroblasts*, 388A

Goldman HW, Gollomp S, Aita A, Scanlon J, McGlinn K. *Comparison of stereotactic open radiofrequency thalamotomy/pallidotomy with*

Index

Abstracts (*continued*)

gamma knife radiosurgical lesions for medically intractable movement disorders, 415A

Gorbach A, Heiss J, Kufta C, Oldfield E. *Intraoperative localization of brain tumors and surrounding functional cortex with infrared imaging*, 405A

Grant G, Grady SM, Mirza S, Mirza J, Newell D. *Risk of early closed reduction in cervical spine trauma*, 420A

Gross JD, Wecht DA, Alberstone CD, Lee R, Andrew M, Tessman CL. *Magnetic source imaging for cerebrovascular surgery*, 187A

Gross RE, Lombardi WJ, Saint-Cyr JA, Lang AE, Lozano AM. *Correlation of pallidal lesion location and outcome in Parkinson's disease: dissociation between motor signs and drug-induced dyskinesias*, 399A

Grubb R, Powers W, Derdeyn C, Yundt K, Carpenter D, Videen TO, Fritsch SM. *Increased oxygen extraction fraction in symptomatic patients with complete carotid artery occlusion predicts a subsequent increased incidence of ipsilateral ischemic stroke*, 399A

Gruber DP, Tew JM Jr., Tomsick TA, van Loveren HR, Buncher R. *Comparison between endovascular and surgical management of basilar apex aneurysms*, 190A

Guterman LR, Wakhloo AK, Hopkins LN. *Endovascular cervical carotid revascularization*, 390A

Hadani M, Bruk B. *Application of transcranial Doppler ultrasonography for the diagnosis of brain death*, 398A

Hekmat-Panah J, Callans L, Pannaraj P. *Head injury in abused children*, 394A

Hernesniemi JA, Koivisto TS, Vanninen RL, Saari TJ, Vapalahti MP. *Randomized study of open versus endovascular surgery in recently ruptured cerebral aneurysms: a report of 110 patients*, 188A

Hlavin ML. *Egyptian medicine from ais (brain) to tjes (vertebrae), or a history of ancient neurosciences*, 410A

Hsiao M, Tse VC, Kim L, Silverberg GD. *Mechanisms of p53-induced "bystander effect" in tumor suppression: I. Evidence of angiogenesis inhibition in vivo after intratumoral injection of p53/cationic liposome complexes*, 423A

Huang J, Connolly ES Jr., Hoh BL, Choudhri TF, Solomon RA. *Selective management of poor-grade aneurysm patients: importance of preoperative improvement in neurological function on objective functional outcome*, 182A

_____, Hoh BL, Hoh DJ, Connolly ES Jr., Solomon RA. *Influence of appropriate microsurgical techniques on functional outcome in patients with ophthalmic aneurysms*, 183A

Iabdulrauf S, Kaynar MY, Awad IA. *Clinical profile of cavernous malformations with and without associated venous malformation*, 187A

Ishikawa T, Houkin K, Abe H. *Effects of surgical revascularization on outcome of patients with pediatric moyamoya disease*, 389A

Jean W, Spellman S, Merkle F, Flores C, Dela Barre L, Garwood M, Hall W, Low WC. *Effects of combined GM-CSF and IL-2 in the treatment of rat 9L glioma*, 423A

Jho HD, Carrau R, Ha HG. *Endoscopic endonasal transsphenoidal surgery in 94 patients*, 389A

Kaibara T, Tyson RL, Colbourne F, Sutherland GR. *Marked depression of cellular metabolism in hypothermia as measured by ^{13}C magnetic resonance spin-echo difference spectroscopy*, 184A

Kerr M, Marion D, Orndoff P, Weber B, Sereika S, Henker R. *Effect of cerebrospinal fluid drainage on cerebral perfusion and oxygenation*, 421A

Kestle J, Drake J. *The shunt design trail: variation in surgical experience did not influence shunt survival*, 400A

Khoo LT, Levy ML, McComb JG, Giannotta S. *Cerebral aneurysms in children: a series of 39 patients*, 189A

Khurana GV, Piepgras DG, Whisnant JP. *Ruptured giant intracranial aneurysms: a study of timing and outcome of surgical treatment*, 190A

Kiriakopoulos E, Tasker R, Lozano A, Mikulis D. *Functional MRI: a tool for the evaluation of spinal cord stimulation*, 416A

Kiwit JCW, Lobitz B, Hertel A, Bock WJ. *Functional results after endoscopy-assisted clipping of anterior circulation aneurysms*, 189A

Kobayashi H, Katai R, Handa Y, Kubota T, Yonekura Y. *Hemodynamic and metabolic changes following cerebral revascularization in patients with cerebral occlusive diseases*, 186A

Kondziolka D, Lunsford LD, Flickinger J, Maitz A, Bissonette D. *Long-term outcomes after acoustic tumor radiosurgery*, 398A

Abstracts (*continued*)

_____, _____, Perez B, Flickinger JC. *Results and expectations from trigeminal neuralgia radiosurgery*, 385A

Koos W, Roessler K, Matula C. *Image-guided neurosurgery combined with intraoperative computerized tomography*, 404A

Kothbauer K, Deletis V, Epstein FJ. *Motor evoked potential monitoring for spinal cord tumor surgery*, 403A

Krieger M, Levy M, McComb G. *Toward a simpler surgical management of the Chiari I malformation*, 402A

Kureshi SA, George TM, Fuchs HE. *Improved outcome with aggressive surgical management in adult tethered cord syndrome*, 403A

Lee MR, Smith JR, Smith MD. *Surgical results for frontal lobe epilepsy in children*, 413A

LeRoux P, Sethi R, Elliott JP, Grant G, Winn HR. *Factors associated with surgical complications for basilar bifurcation aneurysms: an analysis of 101 patients*, 391A

Levine ZT, Buchanan RI, Sekhar LN, Rosen CL, Wright DC. *A proposed grading system to predict full resection in cranial base meningiomas*, 406A

Levy RM, Ward S, Schalgeter K, Groothuis D. *Novel delivery of nucleosides and antisense oligonucleotides to the CNS*, 417A

Licholai GP, Black PM, Kleefield SP. *Development and impact of a craniotomy for tumor critical pathway*, 391A

_____, Wen P, Carroll R, Black PM. *Role of vascular endothelial growth factor in the pathogenesis of venous thromboembolic disease in patients with brain tumors*, 405A

Lieberman DM, McCormack B, Eichbaum E, Lamborn K. *Risks, benefits, and alternatives to atlantoaxial arthrodesis with posterior transarticular facet screws*, 418A

Litofsky NS, Kotecha N, Lachyanker M, Ross A, Recht L. *TrkA induction in glioma exerts unique effects of tyrosine kinase modulation by downregulating metalloproteinases and decreasing invasion*, 424A

Lozano AM, Hutchison WD, Levy R, Dostrovsky JO, Lang AE. *Effects of apomorphine on globus pallidus neurons in Parkinsonian patients*, 416A

_____, Lang AE, Montgomery EB, Duff J, Tasker RR. *Pallidotomy in advanced Parkinson's disease: two-year follow up*, 393A

Lunsford LD, Pollock BE, Kondziolka D, Sekula R, Subach B. *Failed radiosurgery and the role of microsurgery for acoustic neuroma*, 395A

Magnadottir HB, Harbaugh KS, Shumaker GH, Harbaugh RE. *Outcome of carotid endarterectomy: regional versus general anesthesia*, 186A

Mahalick D, Carmel P, Molofsky W, Bartlett J, McDonough M, Greenberg JP. *Psychopharmacological treatment of pediatric brain injury*, 412A

Maier CM, Ahern KV, Cheng ML, Steinberg GK. *Mild hypothermia: optimal depth and duration, effects on infarct size, apoptosis, inflammation, and long-term survival in transient focal cerebral ischemia*, 397A

Maroon J. *Inhibition of postoperative peridural fibrosis and reduction of fibrosis-related symptoms with a bioresorbable carbohydrate gel: ADCON-L*, 418A

Martin CH, Schwartz R, Jolesz F, Stieg PE. *Neurovascular applications of the intraoperative magnetic resonance imaging unit*, 189A

Mayberg M, Onoda K, London S, Johnson M, Gajdusek C. *Mechanisms of radiation-induced endothelial injury*, 409A

McKhann GM, Schoenfeld J, Born DE, Ojemann GA. *Intraoperative hippocampal electrocorticography predicts the extent of hippocampal resection in temporal lobe epilepsy surgery*, 415A

McLaughlin M, Kondziolka D, Lunsford S, Lunsford LD. *The long-term prospective natural history of venous malformations*, 396A

Niendorf WR, Darwish N, Schroeder H, Gaab M. *Fractures of the lower thoracic and lumbar spine: treatment with the internal fixator*, 419A

O'Connor M, Sperling M, Liporace J, Sirven J, Barry E. *Results of long-term follow up of 405 temporal lobectomies over a 20-year period*, 388A

Ogilvy C, Szentirmai O, Buckley D, Zervas N. *Clinical outcome of patients with subarachnoid hemorrhage with vasospasm is the same as in patients without vasospasm using aggressive ICU management*, 403A

Philips MF, Hurst R, Bagley L, Raps E, Sinson G. *Endovascular thrombolysis using mechanical snare fragmentation and infusion of fibrinolytic agents for symptomatic and progressive combined dural sinus and deep cerebral vein thrombosis*, 408A

Abstracts (*continued*)
Piatt JH. *External hydrocephalus: a pitfall in the evaluation of suspected child abuse*, 412A
Piek J, Liedke G, Therberger T, Smekal U, Gaab M. *Neurosurgical disorders in neolithic skulls (2500–3500 B.C.)*, 410A
Pillay P, Sethi D. *Endoscopic transsphenoidal resection of pituitary tumors*, 422A
Pollock BE, Lunsford LD, Kondziolka DS, Clyde BC, Flickinger JC. *Failed microsurgery and the role of radiosurgery for acoustic neurinoma*, 396A
Porter P, Wallace C, terBrugge K, Montanera W, Kerr R, Stefani MA, Willinsky RA. *Failure of partial therapy to reduce the risk of hemorrhage from brain arteriovenous malformations*, 188A, 384A
———, ———, ———, ———, ———, ———, ———. *Outcome following hemorrhage from brain arteriovenous malformations at presentation and during follow up: is it worse than we think?* 184A, 396A
Porter R, Detwiler P, Lawton M, Derksen P, Baskin J, Zabramski JM, Spetzler RF. *Surgical approaches to brainstem cavernous malformations*, 407A
Quigley M, Anetakis A, Elrifai A, Kalnicki S. *Value of adjunctive radiation boost therapies in the treatment of malignant glioma*, 404A
Rahimdashti S, Decker D, Razzaq A, Cohen A. *Current patterns of inflicted head injury in children*, 394A
Rezai AR, Francisco AM, Vilela Filho OV, Lozano AM, Tasker RR. *Deep brain stimulation for intractable neuropathic pain: contemporary management and outcome in 80 patients*, 416A
Rosenwasser RH, Thomas JE. *Intraoperative angiography in cerebrovascular surgery*, 185A
———, ———, Gannon P, Bell R, Jamieson D. *Management of cerebral vasospasm: timing of endovascular options*, 386A
Rubin G, Firlik AD, Yonas H, Wechsler LR, Levy E. *Effect of reperfusion therapy on cerebral blood flow in acute stroke*, 183A
Saatman KE, Raghupathi R, Nakamura M, Scherbel U, Flamm ES. *Using transgenic technology to explore the function of single genes in the pathophysiology of traumatic brain injury*, 421A
Salas E, Sekhar LN, Ziyal IM, Wright DC. *Variations of the extreme-lateral approach anatomical study and clinical analysis of 50 patients*, 401A
Sampath P, Davis J, Bendebba M, Ducker T. *Outcome analysis of patients with myelopathy in the United States: results of the Cervical Spine Research Society Study*, 401A
———, Rhines L, Brem H. *The Hunterian Neurosurgical Laboratory: the first 100 years*, 400A
Sampson JH, Friedman AH, Fuchs HE, Bigner DD, Friedman HS. *Results of Phase I trials of ^{131}I-labeled anti-tenascin monoclonal antibody injected via surgically created resection cavities in patients with recurrent malignant brain tumors*, 390A
Sanan A, Haines S. *Repairing holes in the head: a history of cranioplasty*, 409A
Sanford R, Muhlbauer M, Einhaus S, Thomas E. *Ten-year experience with slit ventricle syndrome in children*, 397A
Schiff SJ, Weinstein SL, Conry J, Gaillard WD. *Complications and hazards with invasive electrodes in pediatric epilepsy surgery*, 413A
Schumacher JM, Palmer P, Ellias SA, Steven F, Isacson O. *Transplantation of fetal pig cells for Parkinson's disease: preliminary results*, 385A
Selden NR, Patel N, Grube S, Papadopoulos S. *Improved outcome and reduced cost in cervical spinal cord injury using emergency MRI and surgical decompression*, 393A
Shapiro SA, Chua R, Snyder W, Fritz D. *The fiberoptic intraparenchymal cerebral pressure monitor in 420 patients*, 404A
———, ———, ———, ———. *Outcome of 51 consecutive cases of unilateral locked cervical facets*, 402A
———, Scully TB, Snyder WE, Chua R, Fritz D. *Cauda equina syndrome secondary to lumbar disc herniation*, 400A
Simeone F. *Anterior fusion: the wrong operation for discogenic cervical radiculopathy*, 419A
———, Freese A. *The opportunity costs of training to become a neurosurgeon: relevance for the expectation of appropriate compensation*, 392A
Sperling M, Feldman H, Kinman J, O'Connor M. *Mortality after epilepsy surgery*, 391A

Abstracts (*continued*)
Szentirmai O, Buckley D, Ogilvy C. *A modification of the Fisher Grading System to predict vasospasm based on CT scans after aneurysmal subarachnoid hemorrhage*, 407A
Tabar V, Studer LP, McKay RD. *Transplantation of neural precursors in neurodegenerative diseases*, 406A
Takikawa S, Saitoh H, Houkin K, Abe H. *Hemodynamic evaluation in patients with recurrent ipsilateral cerebral ischemia after EC-IC bypass*, 185A
Tampieri D, Melançon D, Mohr G, Villemure JG, Leblanc R. *Computerized tomography angiography and endovascular CTA in the evaluation of intracranial aneurysms*, 188A
Tang G, Giannotta SL. *Reoperation for recurrent acoustic neuromas*, 404A
———, Ning MM, Nyugen MH, Swearingen B, Zervas NT. *Endocrine-inactive pituitary adenomas: clinicopathological features and long-term outcome following transsphenoidal resection*, 393A
Tator C, Fehlings M. *Surgical treatment of acute spinal cord injury study (STASCIS): results of a multicenter retrospective pilot study in 585 patients*, 420A
Thomas JE, Gannon PM, Rosenwasser RH. *Endovascular coil obliteration of posterior circulation cerebral aneurysms*, 405A
Todor DR, Perl J, Porras-Jimenez M, Bruno G, Chyatte D. *Transfemoral cerebral angiography in the rat*, 409A
Troup E, Sanford R, Muhlbauer M, Steinman A, Ostby L. *Myofascial closure for myelomeningocele: a 20-year experience*, 406A
———, ———, Ratliff D. *Anterior circulation strokes following non-accidental head injuries in children: a proposed mechanism*, 414A
Vise WM. *Cerebral protection via suppression of basal metabolism as the primary treatment for neurological injury or as prophylaxis with elective surgery*, 397A
Wanebo JE, Arthur A, Louis H, Kassell NF, Helm GA. *Prevention of cerebral vasospasm by administration of the endothelin-A receptor antagonist Ro 61-1790 in a rabbit model of subarachnoid hemorrhage*, 183A
———, Louis HR, Arthur AS, Kassell NF, Helm GA. *The endothelin-A receptor antagonist TBC 11251 attenuates cerebral vasospasm after experimental subarachnoid hemorrhage: dose study*, 408A
Warnke P, Berlis A, Ostertag C. *Physiological characterization of malignant oligodendrogliomas responding to PCV chemotherapy*, 399A
Watson J, Shawtier T, Doppman J, Oldfield E. *Intraoperative ultrasound localization of pituitary adenomas in patients with Cushing's disease and negative pituitary MR imaging*, 403A
Wellman B, Traynelis V. *The fusion rate for an anterior cervical fusion (ACF) in patients with a prior history of a successful ACF at a different level*, 418A
Wellman BJ, Grady MS, Ritter RC, Dacey RG, Howard MA III, Eskeridge J. *Magnetic neurosurgical manipulation of flow-directed catheters: a device concept for the treatment of cerebral arteriovenous malformations*, 186A
Woertgen C, Rothoerl RD, Holzschuh M, Metz C, Brawanski A. *S-100 and NSE serum measurements after severe head injury*, 421A
Yamamoto M, Kobayashi T, Jokura H, Fukuoka S, Hosoda H. *Gamma knife radiosurgery for cerebral arteriovenous malformations: a multi-institutional study in Japan*, 384A
Yokoyama T, Imamura Y, Sugiyama K, Nishizawa S, Uemura K. *Cognitive and intellectual dysfunctions following unilateral posteroventral pallidotomy in Parkinson's disease*, 414A
Young RF, Ginsberg A, Vermeulen SS, Posewitz A. *Treatment of essential tremor by gamma knife thalamotomy*, 389A
Zevgaridis D, Krott J, Seichert A, Uttner I, Reulen HJ. *Predictive value of temporary external drainage in normal-pressure hydrocephalus*, 387A

Academic neurosurgery
Academic chairmen. Letters, 174, 176, 177

Acetylcholine
Reversibility of functionally injured neurotransmitter systems with shunt placement in hydrocephalic rats: implications for intellectual impairment in hydrocephalus, 709

Acoustic neurinoma
Hearing preservation in patients undergoing vestibular schwannoma surgery: comparison of middle fossa and retrosigmoid approaches, 840

Index

Acoustic neurinoma (*continued*)
Neurotopographic considerations in the microsurgical treatment of small acoustic neurinomas, 506
Acromegaly
Stereotactic radiosurgery for recurrent surgically treated acromegaly: comparison with fractionated radiotherapy, 1002
Adenoma
Microanatomy of the hypophyseal fossa boundaries, 743
Multiple radiation-induced intracranial lesions after treatment for pituitary adenoma. Case report, 111
Pituitary adenoma producing growth hormone and adrenocorticotropin. A histological, immunocytochemical, electron microscopic and in situ hybridization study. Case report, 1111
Pituitary adenomas. Letters, 789
Adrenocorticotropin
Pituitary adenoma producing growth hormone and adrenocorticotropin. A histological, immunocytochemical, electron microscopic and in situ hybridization study. Case report, 1111
Aerocele
Compound anterior cranial base fractures: classification using computerized tomography scanning as a basis for selection of patients for dural repair, 471
Anastomosis, vascular
High-flow bypass using the nonocclusive excimer laser-assisted end-to-side anastomosis of the external carotid artery to the P_1 segment of the posterior cerebral artery via the sylvian route. Technical note, 925
Anatomical study
Microanatomy of the hypophyseal fossa boundaries, 743
Aneurysm
Basal perforating artery aneurysm within the cavum septi pellucidi. Case report, 601
Computerized tomography angiography of ruptured cerebral aneurysms: factors affecting time to maximum contrast concentration, 663
Does the size of intracranial aneurysms change with intracranial pressure? Observations based on color "power" transcranial Doppler ultrasound, 846
External hydrocephalus after aneurysm surgery: paradoxical response to ventricular shunting, 485
Multiple appearing and vanishing aneurysms: primary angiitis of the central nervous system. Case report, 133
Prevalence of cerebral aneurysms in patients with fibromuscular dysplasia: a reassessment, 436
Pulmonary function and radiographic abnormalities related to neurological outcome after aneurysmal subarachnoid hemorrhage, 28
Rerupture of a coil-embolized aneurysm during long-term observation. Case report, 1096
Role of intraoperative angiography in the surgical treatment of cerebral aneurysms, 441
Ruptured giant intracranial aneurysms. Part I. A study of rebleeding, 425
Ruptured giant intracranial aneurysms. Part II. A retrospective analysis of timing and outcome of surgical treatment, 430
Aneurysmal bone cyst
Benign fibroosseous lesions involving the skull base, paranasal sinuses, and nasal cavity. Report of two cases, 1116
Angiitis
Multiple appearing and vanishing aneurysms: primary angiitis of the central nervous system. Case report, 133
Angiography
Arthur Roland Elvidge (1899–1985): contributions to the diagnosis of brain tumors and cerebrovascular disease, 162
Computerized tomography angiography in isolated third nerve palsies, 679
Computerized tomography angiography of ruptured cerebral aneurysms: factors affecting time to maximum contrast concentration, 663
Depressed skull fracture overlying the superior sagittal sinus as a cause of benign intracranial hypertension. Case report, 598
Role of intraoperative angiography in the surgical treatment of cerebral aneurysms, 441
Angioplasty
Comparison of balloon angioplasty and papaverine infusion for the treatment of vasospasm following aneurysmal subarachnoid hemorrhage, 277
Angioplasty (*continued*)
Thrombolysis and angioplasty for acute occlusion of intracranial vertebrobasilar arteries. Report of three cases, 919
Treatment of vasospasm. Letters, 933
Anterior craniofacial approach
Benign fibroosseous lesions involving the skull base, paranasal sinuses, and nasal cavity. Report of two cases, 1116
Apert's syndrome
Hydrocephalus and craniosynostosis, 209
Apoptosis
Transfection of C6 glioma cells with the *bax* gene and increased sensitivity to treatment with cytosine arabinoside, 99
Aqueductal stenosis
Akinetic mutism and magnetic resonance imaging in obstructive hydrocephalus. Case illustration, 161
Arachnoid cyst
Idiopathic spinal cord herniation. Report of two cases and review of the literature, 331
Arterial occlusion
Thrombolysis and angioplasty for acute occlusion of intracranial vertebrobasilar arteries. Report of three cases, 919
Arteriovenous malformation
Arteriovenous malformations and vasospasm. Letters, 934
Arteriovenous malformations in the basal ganglia and thalamus: management and results in 101 cases, 285
Microsurgical treatment of arteriovenous malformations: analysis and comparison with stereotactic radiosurgery, 641
Radiosurgery and AVM histopathology. Letters, 356, 357
Arteriovenous oxygen difference
Arteriovenous oxygen difference in head injury. Letters, 1122, 1123
Artificial implant
Artificial cervical joint. Letters, 1121
Surgical experience with an implanted artificial cervical joint, 943
Astrocytoma
Palatal myoclonus induced by extirpation of a cerebellar astrocytoma. Case report, 1107
Primary leptomeningeal astrocytoma. Case report, 586
Treatment of high-grade spinal cord astrocytoma of childhood with "8-in-1" chemotherapy and radiotherapy: a pilot study of CCG-945, 215
Vascular endothelial growth factor expression and vascular density as prognostic markers of survival in patients with low-grade astrocytoma, 513
Atlas
Unusual occipitoatlantal fracture dissociation with no neurological impairment. Case report, 773
Attitude tremor
The anatomy of tremor. Letters, 353, 354
Autoradiography
Distribution and stability of antisense phosphorothioate oligonucleotides in rodent brain following direct intraparenchymal controlled-rate infusion, 734

Baclofen
Infusion of intrathecal baclofen for generalized dystonia in cerebral palsy, 73
Intrathecal baclofen infusion and subsequent orthopedic surgery in patients with spastic cerebral palsy, 1009
Basal ganglia
Arteriovenous malformations in the basal ganglia and thalamus: management and results in 101 cases, 285
Germinoma causing wallerian degeneration. Case report and review of the literature, 126
Basilar invagination
Basilar invagination: a study based on 190 surgically treated patients, 962
Behavioral deficits
Antivasospastic and brain protective effects of a hydroxyl radical scavenger (AVS) after experimental subarachnoid hemorrhage, 1075
Bleomycin
Brain metastasis from germinal tumors of the testis. Case report, 761

Index

Blood-brain barrier
Antivasospastic and brain protective effects of a hydroxyl radical scavenger (AVS) after experimental subarachnoid hemorrhage, 1075
Blood patch
Spinal dural enhancement on magnetic resonance imaging associated with spontaneous intracranial hypotension. Report of three cases and review of the literature, 912
Bone graft
A comparative analysis of fusion rates and donor-site morbidity for autogeneic rib and iliac crest bone grafts in posterior cervical fusions, 255
Book review
Alleyne CH Jr. *Neurosurgery Board Review: Questions and Answers for Self-Assessment*, 932
Biller J (ed). *Practical Neurology*, 786
Kline LB (ed). *Optic Nerve Disorders. Ophthalmology Monographs No. 10*, 173
McCartney JP, Thomas-Lukes KM, Gomez CR. *Handbook of Transcranial Doppler*, 352
Persaud TVN. *A History of Anatomy. The Post-Versalian Period*, 325
Purves D, Augustine GJ, Fitzpatrick C, Katz LC, La-Mantia AS, McNamara JO (eds). *Neuroscience*, 787
Schurr PH. *So That Was Life: A Biography of Sir Geoffrey Jefferson. Master of Neurosciences and Man of Letters*, 611
Torrens M, Al-Mefty O, Kobayashi S (eds). *Operative Skull Base Surgery*, 1120
Weibers DO, Feigin VL, Brown RD Jr. (eds). *Cerebrovascular Disease in Clinical Practice*, 931
———, ———, ———. *Handbook of Stroke*, 172
Botulinum toxin
Preoperative treatment with botulinum toxin and cervical fusion in dystonic cerebral palsy. Report of two cases, 328
Brachial plexus
Evaluation of intercostal to musculocutaneous nerve transfer in reconstructive brachial plexus surgery, 266
Brachytherapy
Stereotactic brachytherapy for a cystic metastatic brain tumor in the midbrain. Case report, 141
Brain injury
Neuroprotective effects of NPS 846, a novel NMDA receptor antagonist, following closed head trauma in the rat, 1066
Proton magnetic resonance spectroscopy for detection of axonal injury in the splenium of the corpus callosum of brain-injured patients, 795
Terson's syndrome in subarachnoid hemorrhage and severe brain injury accompanied by acutely raised intracranial pressure, 851
Brain mapping
Rapid termination of intraoperative stimulation-evoked seizures with application of cold Ringer's lactate to the cortex. Technical note, 349
Brain metabolites
Early metabolic alterations in edematous perihematomal brain regions following experimental intracerebral hemorrhage, 1058
Brain neoplasm
Arthur Roland Elvidge (1899–1985): contributions to the diagnosis of brain tumors and cerebrovascular disease, 162
Chordoid meningioma in a child. Case report, 319
Clinical application of functional magnetic resonance imaging in presurgical identification of the central sulcus, 863
Demographics, prognosis, and therapy in 702 patients with brain metastases from malignant melanoma, 11
Formation of intracerebral cavernous malformations after brain radiation treatment for central nervous system neoplasia in children, 51
Multiple choroid plexus papillomas of the lateral ventricle distinct from villous hypertrophy. Case report, 581
Survival and prognostic factors following radiation therapy and chemotherapy for ependymomas in children: a report of the Children's Cancer Group, 695
Survival rates in patients with primary malignant brain tumors stratified by patient age and tumor histological type: an analysis based on Surveillance, Epidemiology, and End Results (SEER) data, 1973–1991, 1
Transfection of C6 glioma cells with the *bax* gene and increased sensitivity to treatment with cytosine arabinoside, 99
Brain shift
Postimaging brain distortion: magnitude, correlates, and impact on neuronavigation, 656
Brain stimulation
"Threshold-level" multipulse transcranial electrical stimulation of motor cortex for intraoperative monitoring of spinal motor tracts: description of method and comparison to somatosensory evoked potential monitoring, 457
Rapid termination of intraoperative stimulation-evoked seizures with application of cold Ringer's lactate to the cortex. Technical note, 349
Brown-Séquard syndrome
Idiopathic spinal cord herniation. Report of two cases and review of the literature, 331
Bypass procedure
High-flow bypass using the nonocclusive excimer laser-assisted end-to-side anastomosis of the external carotid artery to the P_1 segment of the posterior cerebral artery via the sylvian route. Technical note, 925

Calcification
Mechanical dysfunction of ventriculoperitoneal shunt due to calcification of the silicone rubber catheter, 975
Carcinoma
Papillomas and carcinomas of the choroid plexus in children, 521
Carotid endarterectomy
Repair of carotid endarterectomy with a collagen-impregnated fabric graft, 647
Carpal tunnel
Endoscopic treatment of carpal tunnel syndrome: a critical review, 817
Cavernoma
Origin of de novo central nervous system cavernomas. Letters, 616, 617
Cavernous hemangioma
Spinal epidural cavernous hemangiomas. Report of three cases and review of the literature, 903
Cavernous malformation
Formation of intracerebral cavernous malformations after brain radiation treatment for central nervous system neoplasia in children, 51
Radiosurgery of cavernous malformations, 293
Cavernous sinus
Diagnostic and microsurgical presentation of intracranial angiolipomas. Case report and review of the literature, 129
Microanatomy of the hypophyseal fossa boundaries, 743
Cavum septi pellucidi
Basal perforating artery aneurysm within the cavum septi pellucidi. Case report, 601
Central nervous system
Cell type-specific development of rodent central nervous system progenitor cells in culture, 93
Induction chemotherapy followed by reduced-volume radiation therapy for newly diagnosed central nervous system germinoma, 66
Central sulcus
Clinical application of functional magnetic resonance imaging in presurgical identification of the central sulcus, 863
Cerebral hemodynamics
Changes in cerebral blood flow during $PaCO_2$ variations in patients with severe closed head injury: comparison between the Fick method and transcranial Doppler, 996
Cerebral palsy
Gait before and 10 years after rhizotomy in children with cerebral palsy spasticity, 1014
Infusion of intrathecal baclofen for generalized dystonia in cerebral palsy, 73
Intrathecal baclofen infusion and subsequent orthopedic surgery in patients with spastic cerebral palsy, 1009
Preoperative treatment with botulinum toxin and cervical fusion in dystonic cerebral palsy. Report of two cases, 328
Spasticity and strength changes as a function of selective dorsal rhizotomy, 1020
Cerebral perfusion pressure
Cerebral perfusion pressure in head-injured patients: a noninvasive assessment using transcranial Doppler ultrasonography, 802
Does the size of intracranial aneurysms change with intracranial pressure? Observations based on color "power" transcranial Doppler ultrasound, 846

Index

Cerebral vasoreactivity
Changes in cerebral blood flow during $PaCO_2$ variations in patients with severe closed head injury: comparison between the Fick method and transcranial Doppler, 996
Cerebrospinal fluid fistula
Compound anterior cranial base fractures: classification using computerized tomography scanning as a basis for selection of patients for dural repair, 471
Cerebrospinal fluid leak
Acquired Chiari I malformation secondary to spontaneous spinal cerebrospinal fluid leakage and chronic intracranial hypotension syndrome in seven cases, 237
Efficacy and biocompatibility of a photopolymerized, synthetic, absorbable hydrogel as a dural sealant in a canine craniotomy model, 308
Surgical treatment of spontaneous spinal cerebrospinal fluid leaks, 243
Cerebrospinal fluid shunting
Reversibility of functionally injured neurotransmitter systems with shunt placement in hydrocephalic rats: implications for intellectual impairment in hydrocephalus, 709
Cervical fusion
A comparative analysis of fusion rates and donor-site morbidity for autogeneic rib and iliac crest bone grafts in posterior cervical fusions, 255
Cervical joint
Artificial cervical joint. Letters, 1121
Surgical experience with an implanted artificial cervical joint, 943
Cervical spine
Bisegmental cervical interbody fusion using hydroxyapatite implants: surgical results and long-term observation in 70 cases, 21
Outpatient cervical spine surgery. Letters, 357, 358
Thoracic duct injury during anterior cervical discectomy: a rare complication. Case report, 151
Chemotherapy
Brain metastasis from germinal tumors of the testis. Case report, 761
Induction chemotherapy followed by reduced-volume radiation therapy for newly diagnosed central nervous system germinoma, 66
Transfection of C6 glioma cells with the *bax* gene and increased sensitivity to treatment with cytosine arabinoside, 99
Treatment of high-grade spinal cord astrocytoma of childhood with "8-in-1" chemotherapy and radiotherapy: a pilot study of CCG-945, 215
Chiari malformation
Acquired Chiari I malformation secondary to spontaneous spinal cerebrospinal fluid leakage and chronic intracranial hypotension syndrome in seven cases, 237
Basilar invagination: a study based on 190 surgically treated patients, 962
Hydrocephalus and craniosynostosis, 209
Children
Gait before and 10 years after rhizotomy in children with cerebral palsy spasticity, 1014
Increased hematocrit and decreased transfusion requirements in children given erythropoietin before undergoing craniofacial surgery, 704
Low-grade gliomas in children: tumor volume response to radiation, 969
Papillomas and carcinomas of the choroid plexus in children, 521
Survival and prognostic factors following radiation therapy and chemotherapy for ependymomas in children: a report of the Children's Cancer Group, 695
Chordoma
Intradural retroclival chordoma without bone involvement: no tumor regrowth 5 years after operation. Case report, 764
Chorionic gonadotropin
Possible common origin of α-fetoprotein and human chorionic gonadotropin-secreting cells in intracranial germ cell tumor. Case report, 576
Choroid plexus papilloma
Diffuse craniospinal seeding from a benign fourth ventricle choroid plexus papilloma. Case report, 757
Multiple choroid plexus papillomas of the lateral ventricle distinct from villous hypertrophy. Case report, 581
Papillomas and carcinomas of the choroid plexus in children, 521
Cisplatin
Brain metastasis from germinal tumors of the testis. Case report, 761
Cisplatin (*continued*)
Sensitization of rat glioblastoma multiforme to cisplatin in vivo following restoration of wild-type p53 function, 535
Cisternography
Magnetic resonance cisternography for visualization of intracisternal fine structures, 670
Clivus
Epidural hematoma of the clivus. Case report, 590
Intradural retroclival chordoma without bone involvement: no tumor regrowth 5 years after operation. Case report, 764
Closed head injury
High-risk minor head injury. Letters, 613
Closed system drainage
Chronic subdural hematoma. Letters, 937, 938
Coil embolization
Rerupture of a coil-embolized aneurysm during long-term observation. Case report, 1096
Colloid cyst
Neuroendoscopic approach to intraventricular lesions, 496
Computerized tomography
Computerized tomography angiography of ruptured cerebral aneurysms: factors affecting time to maximum contrast concentration, 663
Giant lateral sinus pericranii. Case report, 145
High-risk minor head injury. Letters, 613
Unusual occipitoatlantal fracture dissociation with no neurological impairment. Case report, 773
Congenital anomaly
Congenital tethered spinal cord syndrome in adults, 958
Corpus callosum
Proton magnetic resonance spectroscopy for detection of axonal injury in the splenium of the corpus callosum of brain-injured patients, 795
Cranial nerve
Dose-response tolerance of the visual pathways and cranial nerves of the cavernous sinus to stereotactic radiosurgery, 43
Intracranial repair of a divided trochlear nerve. Case report, 336
Magnetic resonance cisternography for visualization of intracisternal fine structures, 670
Neurovascular decompression of the eighth cranial nerve in patients with hemifacial spasm and incidental tinnitus: an alternative way to study tinnitus, 232
Craniectomy
Endoscopic craniectomy for early surgical correction of sagittal craniosynostosis, 77
Craniofacial surgery
Increased hematocrit and decreased transfusion requirements in children given erythropoietin before undergoing craniofacial surgery, 704
Superimposed holographic image-guided neurosurgery. Technical note, 777
Craniosynostosis
Endoscopic craniectomy for early surgical correction of sagittal craniosynostosis, 77
Hydrocephalus and craniosynostosis, 209
Craniotomy
Sequential outer-table craniotomy in a hyperossified meningioma. Technical note, 346
Craniovertebral anomaly
Basilar invagination: a study based on 190 surgically treated patients, 962
Crouzon's syndrome
Hydrocephalus and craniosynostosis, 209
Cyst, *see also* Arachnoid cyst *and* Colloid cyst
Large glial cyst of the pineal gland: a possible growth mechanism. Case report, 138

Degenerative disc disease
Surgical experience with an implanted artificial cervical joint, 943
Demineralized bone matrix
Spine fusion with demineralized bone. Letters, 354, 355
Dentate nucleus
Palatal myoclonus induced by extirpation of a cerebellar astrocytoma. Case report, 1107
Diastematomyelia
Split spinal cord malformations in children, 57

Differential diagnosis
Diagnosis of ganglioglioma. Letters, 935, 936
Diplomyelia
Split spinal cord malformations in children, 57
Discectomy
Experience in the surgical management of 82 symptomatic herniated thoracic discs and review of the literature, 623
Thoracic duct injury during anterior cervical discectomy: a rare complication. Case report, 151
Disphosphoryl lipid A
Enhanced endogenous antioxidant activity and inhibition of cerebral vasospasm in rabbits by pretreatment with a nontoxic endotoxin analog, monophosphoryl A, 1082
Displacement test
Tympanic membrane displacement testing in regular assessment of intracranial pressure in eight children with hydrocephalus, 983
Dopamine
Reversibility of functionally injured neurotransmitter systems with shunt placement in hydrocephalic rats: implications for intellectual impairment in hydrocephalus, 709
Dural arteriovenous fistula
Direct packing of the isolated sinus in patients with dural arteriovenous fistulas of the transverse-sigmoid sinus, 449
Dural attachment
Malignant meningioma of the oculomotor nerve without dural attachment. Case report and review of the literature, 1104
Dural repair
Efficacy and biocompatibility of a photopolymerized, synthetic, absorbable hydrogel as a dural sealant in a canine craniotomy model, 308
Dural sinus
Abscess formation within a parasagittal meningioma. Case report, 895
Dynamometer
Spasticity and strength changes as a function of selective dorsal rhizotomy, 1020

Edema
Early metabolic alterations in edematous perihematomal brain regions following experimental intracerebral hemorrhage, 1058
Platelet-activating factor and edema surrounding meningiomas, 304
Embolization
Papillomas and carcinomas of the choroid plexus in children, 521
Endometriosis
Catamenial mononeuropathy and radiculopathy: a treatable neuropathic disorder, 827
Endoscopy
Endoscopic craniectomy for early surgical correction of sagittal craniosynostosis, 77
Endoscopic treatment of carpal tunnel syndrome: a critical review, 817
Idiopathic spinal cord herniation. Report of two cases and review of the literature, 331
Laser-assisted neuroendoscopy using a neodymium-yttrium aluminum garnet or diode contact laser with pretreated fiber tips, 82
Neuroendoscopic approach to intraventricular lesions, 496
Thoracoscopic microsurgical excision of a thoracic schwannoma. Case report, 898
Ependymoma
Multiple radiation-induced intracranial lesions after treatment for pituitary adenoma. Case report, 111
Survival and prognostic factors following radiation therapy and chemotherapy for ependymomas in children: a report of the Children's Cancer Group, 695
Epidural hematoma
Epidural hematoma of the clivus. Case report, 590
Spinal epidural vascular malformation presenting in association with a spontaneously resolved acute epidural hematoma. Case report, 909
Epilepsy, *see also* Seizure
Modified approach for the selective treatment of temporal lobe epilepsy: transsylvian-transcisternal mesial en bloc resection, 855
Errata
Correction, 791
Erratum. Letter, 359
Error in anatomical detail? Letters, 790
Erythropoietin
Increased hematocrit and decreased transfusion requirements in children given erythropoietin before undergoing craniofacial surgery, 704
Etoposide
Brain metastasis from germinal tumors of the testis. Case report, 761
Evoked potential
Generator sites of early scalp potentials evoked from the three trigeminal branches, 718
Excitotoxicity
Neuroprotective effects of NPS 846, a novel NMDA receptor antagonist, following closed head trauma in the rat, 1066

Facial nerve
Hemifacial spasm caused by vascular compression of the distal portion of the facial nerve. Report of seven cases, 605
Familial tumor
Familial meningioma: analysis of expression of neurofibromatosis 2 protein Merlin. Report of two cases, 562
Fibromuscular dysplasia
Prevalence of cerebral aneurysms in patients with fibromuscular dysplasia: a reassessment, 436
Fibroosseous lesion
Benign fibroosseous lesions involving the skull base, paranasal sinuses, and nasal cavity. Report of two cases, 1116
Foreign body
Magnetic resonance image of postcraniotomy retained cotton or rayon. Case illustration, 928
Fracture
Compound anterior cranial base fractures: classification using computerized tomography scanning as a basis for selection of patients for dural repair, 471
Free radical scavenger
Antivasospastic and brain protective effects of a hydroxyl radical scavenger (AVS) after experimental subarachnoid hemorrhage, 1075
Frontal lobe disorder
Germinoma causing wallerian degeneration. Case report and review of the literature, 126
Fungus
Long-term survival in rhinocerebral mucormycosis. Case report, 570

Ganglioglioma
Diagnosis of ganglioglioma. Letters, 935, 936
Ganglioneuroma
Malignant transformation of ganglioneuroma into spinal neuroblastoma in an adult. Case report, 324
Gene therapy
Selective intraarterial gene delivery into a canine meningioma, 870
Germ cell tumor
Possible common origin of α-fetoprotein and human chorionic gonadotropin-secreting cells in intracranial germ cell tumor. Case report, 576
Germinoma
Germinoma causing wallerian degeneration. Case report and review of the literature, 126
Induction chemotherapy followed by reduced-volume radiation therapy for newly diagnosed central nervous system germinoma, 66
Glioblastoma multiforme
Antagonistic effect of insulin-like growth factor I on protein kinase inhibitor-mediated apoptosis in human glioblastoma cells in association with bcl-2 and bcl-x_L, 884
Sensitization of rat glioblastoma multiforme to cisplatin in vivo following restoration of wild-type p53 function, 535
Glioma
Adult neuronal ceroid lipofuscinosis with clinical findings consistent with a butterfly glioma. Case report, 314
Low-grade gliomas in children: tumor volume response to radiation, 969
Resistance to growth inhibition by transforming growth factor–β in malignant glioma cells with functional receptors, 529
Globus pallidus
Microelectrode-guided pallidotomy: technical approach and application for patients with medically intractable Parkinson's disease, 1027

Index

Graft, *see also* Bone graft
Graft survival and sensorimotor behavioral recovery after exposure of dopaminergic cells to glial cell-line derived neurotrophic factor prior to transplantation, 1088
Repair of carotid endarterectomy with a collagen-impregnated fabric graft, 647
Granuloma
Microvascular decompression. Letters, 617
Growth factor
Cell type-specific development of rodent central nervous system progenitor cells in culture, 93
Familial meningioma: analysis of expression of neurofibromatosis 2 protein Merlin. Report of two cases, 562
Formation of autocrine loops in human cerebral meningioma tissue by leukemia inhibitor factor, interleukin-6, and oncostatin M: inhibition of meningioma cell growth in vitro by recombinant oncostatin M, 541
Resistance to growth inhibition by transforming growth factor–β in malignant glioma cells with functional receptors, 529
Vascular endothelial growth factor expression and vascular density as prognostic markers of survival in patients with low-grade astrocytoma, 513
Growth hormone
Pituitary adenoma producing growth hormone and adrenocorticotropin. A histological, immunocytochemical, electron microscopic and in situ hybridization study. Case report, 1111
Stereotactic radiosurgery for recurrent surgically treated acromegaly: comparison with fractionated radiotherapy, 1002

Hamartoma
Diagnostic and microsurgical presentation of intracranial angiolipomas. Case report and review of the literature, 129
Role of surgical resection in the treatment of hypothalamic hamartomas causing precocious puberty. Report of six cases, 340
Surgery for hypothalamic hamartomas. Letters, 353
Symptomatic hamartoma of the spinal cord in a patient with neurofibromatosis type 1. Case report, 1099
Hamstring
Spasticity and strength changes as a function of selective dorsal rhizotomy, 1020
Head injury
Acute quadriplegia with delayed onset and rapid recovery. Case report, 769
Arteriovenous oxygen difference in head injury. Letters, 1122, 1123
Cerebral perfusion pressure in head-injured patients: a noninvasive assessment using transcranial Doppler ultrasonography, 802
Changes in cerebral blood flow during $PaCO_2$ variations in patients with severe closed head injury: comparison between the Fick method and transcranial Doppler, 996
Hyperventilation early after controlled cortical impact augmented neuronal death in CA3 hippocampus, 549
The persistent vegetative state after closed head injury: clinical and magnetic resonance imaging findings in 42 patients, 809
Headache
Acquired Chiari I malformation secondary to spontaneous spinal cerebrospinal fluid leakage and chronic intracranial hypotension syndrome in seven cases, 237
Spinal dural enhancement on magnetic resonance imaging associated with spontaneous intracranial hypotension. Report of three cases and review of the literature, 912
Surgical treatment of spontaneous spinal cerebrospinal fluid leaks, 243
Hearing
Hearing preservation in patients undergoing vestibular schwannoma surgery: comparison of middle fossa and retrosigmoid approaches, 840
Neurotopographic considerations in the microsurgical treatment of small acoustic neurinomas, 506
Hemorrhage, *see also* specific sites
Origin of de novo central nervous system cavernomas. Letters, 616, 617
Hemosiderin
Spinal meningeal melanocytoma presenting with superficial siderosis of the central nervous system. Case report and review of the literature, 890
Hemostasis
Tumor devascularization by intratumoral ethanol injection during surgery. Technical note, 923
Hernia
Abdominal pseudohernia following intradural tumor excision. Case illustration, 930
Hippocampus
Hyperventilation early after controlled cortical impact augmented neuronal death in CA3 hippocampus, 549
Modified approach for the selective treatment of temporal lobe epilepsy: transsylvian-transcisternal mesial en bloc resection, 855
Histiocytosis
Langerhans' cell histocytosis. Letters, 790
Histopathological findings
Rerupture of a coil-embolized aneurysm during long-term observation. Case report, 1096
Hydrocephalus
Akinetic mutism and magnetic resonance imaging in obstructive hydrocephalus. Case illustration, 161
External hydrocephalus after aneurysm surgery: paradoxical response to ventricular shunting, 485
Hydrocephalus and craniosynostosis, 209
Hydrothorax after ventriculoperitoneal shunt placement in a premature infant: an iatrogenic postoperative complication. Case report, 594
Intrauterine high-resolution magnetic resonance imaging in fetal hydrocephalus and prenatal estimation of postnatal outcomes with "perspective classification", 685
Multiple choroid plexus papillomas of the lateral ventricle distinct from villous hypertrophy. Case report, 581
Papillomas and carcinomas of the choroid plexus in children, 521
Reversibility of functionally injured neurotransmitter systems with shunt placement in hydrocephalic rats: implications for intellectual impairment in hydrocephalus, 709
Tympanic membrane displacement testing in regular assessment of intracranial pressure in eight children with hydrocephalus, 983
Hydroxyapatite
Bisegmental cervical interbody fusion using hydroxyapatite implants: surgical results and long-term observation in 70 cases, 21
Hydroxyurea
Hydroxyurea for treatment of meningioma. Letters, 938
Hypertension
Depressed skull fracture overlying the superior sagittal sinus as a cause of benign intracranial hypertension. Case report, 598
Magnetic resonance evaluation of ventrolateral medullary compression in essential hypertension, 226
Hyperventilation
Hyperventilation early after controlled cortical impact augmented neuronal death in CA3 hippocampus, 549
Hypogastric nerve
Preservation of ejaculatory function by reconstruction of the canine hypogastric nerve, 726
Hypotension
Acquired Chiari I malformation secondary to spontaneous spinal cerebrospinal fluid leakage and chronic intracranial hypotension syndrome in seven cases, 237
Spinal dural enhancement on magnetic resonance imaging associated with spontaneous intracranial hypotension. Report of three cases and review of the literature, 912
Surgical treatment of spontaneous spinal cerebrospinal fluid leaks, 243
Hypothalamic hamartoma
Surgery for hypothalamic hamartomas. Letters, 353
Hypothalamus
Role of surgical resection in the treatment of hypothalamic hamartomas causing precocious puberty. Report of six cases, 340
Surgery for hypothalamic hamartomas. Letters, 353

Image-guided surgery
Postimaging brain distortion: magnitude, correlates, and impact on neuronavigation, 656
Superimposed holographic image-guided neurosurgery. Technical note, 777
Immunoglobulin G
The presence of 4-hydroxynonenal/protein complex as an indicator of

Immunoglobulin G (*continued*)
oxidative stress after experimental spinal cord contusion in a rat model, 874
Instrumentation
Vertebral artery injury in C1–2 transarticular screw fixation: results of a survey of the AANS/CNS Section on Disorders of the Spine and Peripheral Nerves, 634
Insulin-like growth factor I
Antagonistic effect of insulin-like growth factor I on protein kinase inhibitor-mediated apoptosis in human glioblastoma cells in association with bcl-2 and bcl-x_L, 884
Stereotactic radiosurgery for recurrent surgically treated acromegaly: comparison with fractionated radiotherapy, 1002
Intercostal nerve
Evaluation of intercostal to musculocutaneous nerve transfer in reconstructive brachial plexus surgery, 266
Interleukin-6
Formation of autocrine loops in human cerebral meningioma tissue by leukemia inhibitor factor, interleukin-6, and oncostatin M: inhibition of meningioma cell growth in vitro by recombinant oncostatin M, 541
Intervertebral disc herniation
Disc herniation at T1–2. Report of four cases and literature review, 148
Experience in the surgical management of 82 symptomatic herniated thoracic discs and review of the literature, 623
Intervertebral joint, *see* Cervical joint
Intracerebral hemorrhage
Early metabolic alterations in edematous perihematomal brain regions following experimental intracerebral hemorrhage, 1058
Magnetic resonance imaging-documented extravasation as an indicator of acute hypertensive intracerebral hemorrhage, 650
Multiple appearing and vanishing aneurysms: primary angiitis of the central nervous system. Case report, 133
Intracranial hemorrhage
Ruptured giant intracranial aneurysms. Part I. A study of rebleeding, 425
Intracranial pressure
Does the size of intracranial aneurysms change with intracranial pressure? Observations based on color "power" transcranial Doppler ultrasound, 846
Surgical treatment of spontaneous spinal cerebrospinal fluid leaks, 243
Terson's syndrome in subarachnoid hemorrhage and severe brain injury accompanied by acutely raised intracranial pressure, 851
Tympanic membrane displacement testing in regular assessment of intracranial pressure in eight children with hydrocephalus, 983
Intracranial pressure transducer
Zero drift in pressure monitors. Letter, 615
Intracranial tumor
Osteochondroma arising from the convexity dura mater. Case illustration, 610
Intradural tumor
Intradural retroclival chordoma without bone involvement: no tumor regrowth 5 years after operation. Case report, 764
Intraoperative monitoring
"Threshold-level" multipulse transcranial electrical stimulation of motor cortex for intraoperative monitoring of spinal motor tracts: description of method and comparison to somatosensory evoked potential monitoring, 457
Intrauterine diagnosis
Intrauterine high-resolution magnetic resonance imaging in fetal hydrocephalus and prenatal estimation of postnatal outcomes with "perspective classification", 685
Intraventricular tumor
Neuroendoscopic approach to intraventricular lesions, 496
Papillomas and carcinomas of the choroid plexus in children, 521
Ion
Neuroprotective effects of NPS 846, a novel NMDA receptor antagonist, following closed head trauma in the rat, 1066
Iron chelator
Role of ferrous iron chelator 2,2′-dipyridyl in preventing delayed vasospasm in a primate model of subarachnoid hemorrhage, 298
Ischemia
Is routine transcranial Doppler ultrasound monitoring useful in the management of subarachnoid hemorrhage? 272
Jugular vein thrombosis
Percutaneous ventriculoatrial shunts. Letters, 1124
Laminectomy
Decompressive laminectomy for spinal stenosis. Letter, 790
Laser
High-flow bypass using the nonocclusive excimer laser-assisted end-to-side anastomosis of the external carotid artery to the P_1 segment of the posterior cerebral artery via the sylvian route. Technical note, 925
Laser-assisted neuroendoscopy using a neodymium-yttrium aluminum garnet or diode contact laser with pretreated fiber tips, 82
Leptomeninges
Diffuse craniospinal seeding from a benign fourth ventricle choroid plexus papilloma. Case report, 757
Primary leptomeningeal astrocytoma. Case report, 586
Leukemia
Formation of autocrine loops in human cerebral meningioma tissue by leukemia inhibitor factor, interleukin-6, and oncostatin M: inhibition of meningioma cell growth in vitro by recombinant oncostatin M, 541
Lipid peroxidation
The presence of 4-hydroxynonenal/protein complex as an indicator of oxidative stress after experimental spinal cord contusion in a rat model, 874
Lipofuscinosis
Adult neuronal ceroid lipofuscinosis with clinical findings consistent with a butterfly glioma. Case report, 314
Magnetic resonance imaging
Akinetic mutism and magnetic resonance imaging in obstructive hydrocephalus. Case illustration, 161
Chronic subdural hematoma. Letters, 937, 938
Clinical application of functional magnetic resonance imaging in presurgical identification of the central sulcus, 863
Depressed skull fracture overlying the superior sagittal sinus as a cause of benign intracranial hypertension. Case report, 598
Giant lateral sinus pericranii. Case report, 145
Localizing pallidotomy lesions. Letters, 1125, 1126
Magnetic resonance cisternography for visualization of intracisternal fine structures, 670
Magnetic resonance evaluation of ventrolateral medullary compression in essential hypertension, 226
Magnetic resonance image of postcraniotomy retained cotton or rayon. Case illustration, 928
Magnetic resonance imaging-documented extravasation as an indicator of acute hypertensive intracerebral hemorrhage, 650
Magnetic resonance imaging findings in ossification of the posterior longitudinal ligament of the cervical spine, 247
Multiple choroid plexus papillomas of the lateral ventricle distinct from villous hypertrophy. Case report, 581
Platelet-activating factor and edema surrounding meningiomas, 304
Postlaminectomy cervical spinal cord compression demonstrated by dynamic magnetic resonance imaging. Case report, 155
Spinal dural enhancement on magnetic resonance imaging associated with spontaneous intracranial hypotension. Report of three cases and review of the literature, 912
Spinal meningeal melanocytoma presenting with superficial siderosis of the central nervous system. Case report and review of the literature, 890
The persistent vegetative state after closed head injury: clinical and magnetic resonance imaging findings in 42 patients, 809
Unusual occipitoatlantal fracture dissociation with no neurological impairment. Case report, 773
Magnetic resonance spectroscopy
Proton magnetic resonance spectroscopy for detection of axonal injury in the splenium of the corpus callosum of brain-injured patients, 795
Malignant meningioma
Factors associated with survival in patients with meningioma, 831
Malignant meningioma of the oculomotor nerve without dural attachment. Case report and review of the literature, 1104

Index

Melanocyte
Meningeal melanocytoma. Report of a case and a historical comparison, 116
Melanoma
Demographics, prognosis, and therapy in 702 patients with brain metastases from malignant melanoma, 11
Meningeal melanocytoma
Meningeal melanocytoma. Report of a case and a historical comparison, 116
Meninges
Efficacy and biocompatibility of a photopolymerized, synthetic, absorbable hydrogel as a dural sealant in a canine craniotomy model, 308
Meningioma
Abscess formation within a parasagittal meningioma. Case report, 895
Chordoid meningioma in a child. Case report, 319
Factors associated with survival in patients with meningioma, 831
Familial meningioma: analysis of expression of neurofibromatosis 2 protein Merlin. Report of two cases, 562
Formation of autocrine loops in human cerebral meningioma tissue by leukemia inhibitor factor, interleukin-6, and oncostatin M: inhibition of meningioma cell growth in vitro by recombinant oncostatin M, 541
Hydroxyurea for treatment of meningioma. Letters, 938
Malignant meningioma of the oculomotor nerve without dural attachment. Case report and review of the literature, 1104
Multiple radiation-induced intracranial lesions after treatment for pituitary adenoma. Case report, 111
Platelet-activating factor and edema surrounding meningiomas, 304
Selective intraarterial gene delivery into a canine meningioma, 870
Sequential outer-table craniotomy in a hyperossified meningioma. Technical note, 346
Spinal epidural cavernous hemangiomas. Report of three cases and review of the literature, 903
Meningitis
Compound anterior cranial base fractures: classification using computerized tomography scanning as a basis for selection of patients for dural repair, 471
Mesothelioma
Intradural neurotropic spread of malignant mesothelioma. Case report and review of the literature, 122
Metastasis
Brain metastasis from germinal tumors of the testis. Case report, 761
Diffuse craniospinal seeding from a benign fourth ventricle choroid plexus papilloma. Case report, 757
Multiple choroid plexus papillomas of the lateral ventricle distinct from villous hypertrophy. Case report, 581
Stereotactic brachytherapy for a cystic metastatic brain tumor in the midbrain. Case report, 141
Methemoglobin
Temporal changes in perivascular concentrations of oxyhemoglobin, deoxyhemoglobin, and methemoglobin after subarachnoid hemorrhage, 557
Microdialysis
Temporal changes in perivascular concentrations of oxyhemoglobin, deoxyhemoglobin, and methemoglobin after subarachnoid hemorrhage, 557
Microelectrode
Localizing pallidotomy lesions. Letters, 1125, 1126
Microelectrode-guided pallidotomy: technical approach and application for patients with medically intractable Parkinson's disease, 1027
Microinfusion
Distribution and stability of antisense phosphorothioate oligonucleotides in rodent brain following direct intraparenchymal controlled-rate infusion, 734
Microsurgery
Microsurgical treatment of arteriovenous malformations: analysis and comparison with stereotactic radiosurgery, 641
Thoracoscopic microsurgical excision of a thoracic schwannoma. Case report, 898
Microvascular decompression
Follow-up results of using microvascular decompression for treatment of glossopharyngeal neuralgia, 221
Microvascular decompression. Letters, 617
Neurovascular decompression of the eighth cranial nerve in patients with
Microvascular decompression (*continued*)
hemifacial spasm and incidental tinnitus: an alternative way to study tinnitus, 232
Midbrain
Stereotactic brachytherapy for a cystic metastatic brain tumor in the midbrain. Case report, 141
Monophosphoryl lipid A
Enhanced endogenous antioxidant activity and inhibition of cerebral vasospasm in rabbits by pretreatment with a nontoxic endotoxin analog, monophosphoryl A, 1082
Movement disorder
Infusion of intrathecal baclofen for generalized dystonia in cerebral palsy, 73
Microelectrode-guided pallidotomy: technical approach and application for patients with medically intractable Parkinson's disease, 1027
Moyamoya disease
Dural inversion for moyamoya disease. Letters, 177
Mucormycosis
Long-term survival in rhinocerebral mucormycosis. Case report, 570
Myelopathy
Disc herniation at T1–2. Report of four cases and literature review, 148
Postlaminectomy cervical spinal cord compression demonstrated by dynamic magnetic resonance imaging. Case report, 155
Preoperative treatment with botulinum toxin and cervical fusion in dystonic cerebral palsy. Report of two cases, 328
Myoclonus
Palatal myoclonus induced by extirpation of a cerebellar astrocytoma. Case report, 1107
Myopathy
Acute quadriplegia with delayed onset and rapid recovery. Case report, 769

ND:YAG laser
Laser-assisted neuroendoscopy using a neodymium-yttrium aluminum garnet or diode contact laser with pretreated fiber tips, 82
Nerve repair
Intracranial repair of a divided trochlear nerve. Case report, 336
Preservation of ejaculatory function by reconstruction of the canine hypogastric nerve, 726
Nerve root decompression
Outpatient cervical spine surgery. Letters, 357, 358
Nerve root entry zone
Magnetic resonance evaluation of ventrolateral medullary compression in essential hypertension, 226
Neural transplantation
Graft survival and sensorimotor behavioral recovery after exposure of dopaminergic cells to glial cell-line derived neurotrophic factor prior to transplantation, 1088
Neuralgia
Follow-up results of using microvascular decompression for treatment of glossopharyngeal neuralgia, 221
Neuroblastoma
Malignant transformation of ganglioneuroma into spinal neuroblastoma in an adult. Case report, 324
Neurofibroma
Transparaspinal exposure of dumbbell tumors of the spine. Report of two cases, 106
Neurofibromatosis
Familial meningioma: analysis of expression of neurofibromatosis 2 protein Merlin. Report of two cases, 562
Symptomatic hamartoma of the spinal cord in a patient with neurofibromatosis type 1. Case report, 1099
Neuronavigation
Postimaging brain distortion: magnitude, correlates, and impact on neuronavigation, 656
Neuropathy
Catamenial mononeuropathy and radiculopathy: a treatable neuropathic disorder, 827
Dose-response tolerance of the visual pathways and cranial nerves of the cavernous sinus to stereotactic radiosurgery, 43
Neuroprotection
Neuroprotective effects of NPS 846, a novel NMDA receptor antagonist, following closed head trauma in the rat, 1066

Neurosurgical certification
Development of neurosurgery in Greece: past, present, and future, 782
Neurosurgical history
Academic chairmen. Letters, 174, 176, 177
Arthur Roland Elvidge (1899–1985): contributions to the diagnosis of brain tumors and cerebrovascular disease, 162
Development of neurosurgery in Greece: past, present, and future, 782
Neurosurgical manpower
Development of neurosurgery in Greece: past, present, and future, 782
Neurosurgical technique
Arthur Roland Elvidge (1899–1985): contributions to the diagnosis of brain tumors and cerebrovascular disease, 162
Follow-up results of using microvascular decompression for treatment of glossopharyngeal neuralgia, 221
Neurotrophic factor
Graft survival and sensorimotor behavioral recovery after exposure of dopaminergic cells to glial cell-line derived neurotrophic factor prior to transplantation, 1088
Neurovascular compression
Hemifacial spasm caused by vascular compression of the distal portion of the facial nerve. Report of seven cases, 605
Neurovascular decompression, *see* Microvascular decompression
NMDA
Neuroprotective effects of NPS 846, a novel NMDA receptor antagonist, following closed head trauma in the rat, 1066
Noradrenaline
Reversibility of functionally injured neurotransmitter systems with shunt placement in hydrocephalic rats: implications for intellectual impairment in hydrocephalus, 709
Normal-pressure hydrocephalus
Dutch Normal-Pressure Hydrocephalus Study: randomized comparison of low- and medium-pressure shunts, 490

Oculomotor nerve
Malignant meningioma of the oculomotor nerve without dural attachment. Case report and review of the literature, 1104
Odontoid fracture
Failure of transodontoid screw fixation. Case report, 158
Oligonucleotide
Distribution and stability of antisense phosphorothioate oligonucleotides in rodent brain following direct intraparenchymal controlled-rate infusion, 734
Operative technique, *see also* Surgical approach *and* specific approaches
Sequential outer-table craniotomy in a hyperossified meningioma. Technical note, 346
Optic nerve
Dose-response tolerance of the visual pathways and cranial nerves of the cavernous sinus to stereotactic radiosurgery, 43
Osteochondroma
Osteochondroma arising from the convexity dura mater. Case illustration, 610
Outcome
A comparative analysis of fusion rates and donor-site morbidity for autogeneic rib and iliac crest bone grafts in posterior cervical fusions, 255
Dutch Normal-Pressure Hydrocephalus Study: randomized comparison of low- and medium-pressure shunts, 490
Intrauterine high-resolution magnetic resonance imaging in fetal hydrocephalus and prenatal estimation of postnatal outcomes with "perspective classification", 685
Pulmonary function and radiographic abnormalities related to neurological outcome after aneurysmal subarachnoid hemorrhage, 28
Survival rates in patients with primary malignant brain tumors stratified by patient age and tumor histological type: an analysis based on Surveillance, Epidemiology, and End Results (SEER) data, 1973–1991, 1
Oxyhemoglobin
Temporal changes in perivascular concentrations of oxyhemoglobin, deoxyhemoglobin, and methemoglobin after subarachnoid hemorrhage, 557

Palatal muscle
Palatal myoclonus induced by extirpation of a cerebellar astrocytoma. Case report, 1107
Pallidotomy
Localizing pallidotomy lesions. Letters, 1125, 1126
Microelectrode-guided pallidotomy: technical approach and application for patients with medically intractable Parkinson's disease, 1027
Papaverine
Comparison of balloon angioplasty and papaverine infusion for the treatment of vasospasm following aneurysmal subarachnoid hemorrhage, 277
Increase in diameters of vasospastic intracranial arteries by intraarterial papaverine administration, 38
Treatment of vasospasm. Letters, 933
Papilloma, *see* Choroid plexus papilloma
Paralysis
Acute quadriplegia with delayed onset and rapid recovery. Case report, 769
Parkinson's disease
Gamma knife radiosurgical thalamotomy for Parkinson's tremor: a 5-year experience, 1044
Graft survival and sensorimotor behavioral recovery after exposure of dopaminergic cells to glial cell-line derived neurotrophic factor prior to transplantation, 1088
Localizing pallidotomy lesions. Letters, 1125, 1126
Microelectrode-guided pallidotomy: technical approach and application for patients with medically intractable Parkinson's disease, 1027
Petrosal approach
Intradural retroclival chordoma without bone involvement: no tumor regrowth 5 years after operation. Case report, 764
Pineal gland
Large glial cyst of the pineal gland: a possible growth mechanism. Case report, 138
Pineal region tumor
Combined supra/infratentorial-transsinus approach to large pineal region tumors, 1050
Pituitary gland
Microanatomy of the hypophyseal fossa boundaries, 743
Pituitary tumor, *see* Adenoma
Posterior longitudinal ligament
Magnetic resonance imaging findings in ossification of the posterior longitudinal ligament of the cervical spine, 247
Postoperative complications
Abdominal pseudohernia following intradural tumor excision. Case illustration, 930
Precocious puberty
Role of surgical resection in the treatment of hypothalamic hamartomas causing precocious puberty. Report of six cases, 340
Surgery for hypothalamic hamartomas. Letters, 353
Progenitor cell
Cell type-specific development of rodent central nervous system progenitor cells in culture, 93
Prognosis
Factors associated with survival in patients with meningioma, 831
Malignant transformation of ganglioneuroma into spinal neuroblastoma in an adult. Case report, 324
Survival and prognostic factors following radiation therapy and chemotherapy for ependymomas in children: a report of the Children's Cancer Group, 695
Prognostic marker
Vascular endothelial growth factor expression and vascular density as prognostic markers of survival in patients with low-grade astrocytoma, 513
Protein
Resistance to growth inhibition by transforming growth factor–β in malignant glioma cells with functional receptors, 529
Protooncogene
Familial meningioma: analysis of expression of neurofibromatosis 2 protein Merlin. Report of two cases, 562
Pseudotumor
Hemorrhagic skull pseudotumor associated with idiopathic thrombocytopenic purpura. Case illustration, 929

Index

Quadriplegia
Acute quadriplegia with delayed onset and rapid recovery. Case report, 769

Radiation therapy
Demographics, prognosis, and therapy in 702 patients with brain metastases from malignant melanoma, 11
Formation of intracerebral cavernous malformations after brain radiation treatment for central nervous system neoplasia in children, 51
Induction chemotherapy followed by reduced-volume radiation therapy for newly diagnosed central nervous system germinoma, 66
Low-grade gliomas in children: tumor volume response to radiation, 969
Treatment of high-grade spinal cord astrocytoma of childhood with "8-in-1" chemotherapy and radiotherapy: a pilot study of CCG-945, 215
Radiation-induced tumor
Multiple radiation-induced intracranial lesions after treatment for pituitary adenoma. Case report, 111
Radiculopathy
Catamenial mononeuropathy and radiculopathy: a treatable neuropathic disorder, 827
Disc herniation at T1–2. Report of four cases and literature review, 148
Radiosurgery
Arteriovenous malformations in the basal ganglia and thalamus: management and results in 101 cases, 285
Dose-response tolerance of the visual pathways and cranial nerves of the cavernous sinus to stereotactic radiosurgery, 43
Gamma knife radiosurgical thalamotomy for Parkinson's tremor: a 5-year experience, 1044
Microsurgical treatment of arteriovenous malformations: analysis and comparison with stereotactic radiosurgery, 641
Radiosurgery and AVM histopathology. Letters, 356, 357
Radiosurgery of cavernous malformations, 293
Stereotactic radiosurgery for recurrent surgically treated acromegaly: comparison with fractionated radiotherapy, 1002
Thalamotomy for parkinsonian tremor. Letters, 1121, 1122
Rebleeding
Ruptured giant intracranial aneurysms. Part I. A study of rebleeding, 425
Recanalization
Rerupture of a coil-embolized aneurysm during long-term observation. Case report, 1096
Respiratory distress
Hydrothorax after ventriculoperitoneal shunt placement in a premature infant: an iatrogenic postoperative complication. Case report, 594
Rhizotomy
Gait before and 10 years after rhizotomy in children with cerebral palsy spasticity, 1014
Spasticity and strength changes as a function of selective dorsal rhizotomy, 1020

Sagittal suture
Endoscopic craniectomy for early surgical correction of sagittal craniosynostosis, 77
Scaphocephaly
Endoscopic craniectomy for early surgical correction of sagittal craniosynostosis, 77
Schwannoma
Hearing preservation in patients undergoing vestibular schwannoma surgery: comparison of middle fossa and retrosigmoid approaches, 840
Neurotopographic considerations in the microsurgical treatment of small acoustic neurinomas, 506
Thoracoscopic microsurgical excision of a thoracic schwannoma. Case report, 898
Sciatica
Catamenial mononeuropathy and radiculopathy: a treatable neuropathic disorder, 827
Screw fixation
Failure of transodontoid screw fixation. Case report, 158
Vertebral artery injury in C1–2 transarticular screw fixation: results of a survey of the AANS/CNS Section on Disorders of the Spine and Peripheral Nerves, 634

Seizure
Modified approach for the selective treatment of temporal lobe epilepsy: transsylvian-transcisternal mesial en bloc resection, 855
Rapid termination of intraoperative stimulation-evoked seizures with application of cold Ringer's lactate to the cortex. Technical note, 349
Sellar floor
Long-term evaluation of reconstruction of the sellar floor with a silicone plate in transsphenoidal surgery, 949
Shunt dysfunction
Mechanical dysfunction of ventriculoperitoneal shunt due to calcification of the silicone rubber catheter, 975
Silicone plate
Long-term evaluation of reconstruction of the sellar floor with a silicone plate in transsphenoidal surgery, 949
Silicone rubber
Mechanical dysfunction of ventriculoperitoneal shunt due to calcification of the silicone rubber catheter, 975
Sinus pericranii
Giant lateral sinus pericranii. Case report, 145
Sinus thrombosis
Direct packing of the isolated sinus in patients with dural arteriovenous fistulas of the transverse-sigmoid sinus, 449
Skull
Hemorrhagic skull pseudotumor associated with idiopathic thrombocytopenic purpura. Case illustration, 929
Skull base
Compound anterior cranial base fractures: classification using computerized tomography scanning as a basis for selection of patients for dural repair, 471
Diagnostic and microsurgical presentation of intracranial angiolipomas. Case report and review of the literature, 129
Intracranial repair of a divided trochlear nerve. Case report, 336
Prolonged survival in a patient with sinonasal teratocarcinosarcoma with cranial extension. Case report, 753
Skull base tumor
Dose-response tolerance of the visual pathways and cranial nerves of the cavernous sinus to stereotactic radiosurgery, 43
Skull fracture
Depressed skull fracture overlying the superior sagittal sinus as a cause of benign intracranial hypertension. Case report, 598
Slit ventricle
Ventricular shunt removal: the ultimate treatment of the slit ventricle syndrome, 478
Spasticity
Gait before and 10 years after rhizotomy in children with cerebral palsy spasticity, 1014
Intrathecal baclofen infusion and subsequent orthopedic surgery in patients with spastic cerebral palsy, 1009
Spasticity and strength changes as a function of selective dorsal rhizotomy, 1020
Spina bifida
Congenital tethered spinal cord syndrome in adults, 958
Spinal cord
Idiopathic spinal cord herniation. Report of two cases and review of the literature, 331
Spinal epidural cavernous hemangiomas. Report of three cases and review of the literature, 903
Symptomatic hamartoma of the spinal cord in a patient with neurofibromatosis type 1. Case report, 1099
"Threshold-level" multipulse transcranial electrical stimulation of motor cortex for intraoperative monitoring of spinal motor tracts: description of method and comparison to somatosensory evoked potential monitoring, 457
Spinal cord barrier
The presence of 4-hydroxynonenal/protein complex as an indicator of oxidative stress after experimental spinal cord contusion in a rat model, 874
Spinal cord compression
Magnetic resonance imaging findings in ossification of the posterior longitudinal ligament of the cervical spine, 247
Malignant transformation of ganglioneuroma into spinal neuroblastoma in an adult. Case report, 324

Spinal cord compression (*continued*)
Postlaminectomy cervical spinal cord compression demonstrated by dynamic magnetic resonance imaging. Case report, 155
Spinal cord tumor
Spinal meningeal melanocytoma presenting with superficial siderosis of the central nervous system. Case report and review of the literature, 890
Treatment of high-grade spinal cord astrocytoma of childhood with "8-in-1" chemotherapy and radiotherapy: a pilot study of CCG-945, 215
Spinal dysraphism
Congenital tethered spinal cord syndrome in adults, 958
Split spinal cord malformations in children, 57
Spinal fusion
Bisegmental cervical interbody fusion using hydroxyapatite implants: surgical results and long-term observation in 70 cases, 21
Preoperative treatment with botulinum toxin and cervical fusion in dystonic cerebral palsy. Report of two cases, 328
Spinal hamartoma
Spinal hamartomas: a distinct clinical entity, 954
Spinal neoplasm
Abdominal pseudohernia following intradural tumor excision. Case illustration, 930
Intradural neurotropic spread of malignant mesothelioma. Case report and review of the literature, 122
Spinal stenosis
Decompressive laminectomy for spinal stenosis. Letters, 790
Spine, *see also* Cervical spine *and* Thoracic spine
Intradural neurotropic spread of malignant mesothelioma. Case report and review of the literature, 122
Spinal epidural vascular malformation presenting in association with a spontaneously resolved acute epidural hematoma. Case report, 909
Transparaspinal exposure of dumbbell tumors of the spine. Report of two cases, 106
Spine fusion
Spine fusion with demineralized bone. Letters, 354, 355
Stenosis, vascular
Repair of carotid endarterectomy with a collagen-impregnated fabric graft, 647
Stereotaxy
Superimposed holographic image-guided neurosurgery. Technical note, 777
Subarachnoid hemorrhage
Antivasospastic and brain protective effects of a hydroxyl radical scavenger (AVS) after experimental subarachnoid hemorrhage, 1075
Comparison of balloon angioplasty and papaverine infusion for the treatment of vasospasm following aneurysmal subarachnoid hemorrhage, 277
External hydrocephalus after aneurysm surgery: paradoxical response to ventricular shunting, 485
Increase in diameters of vasospastic intracranial arteries by intraarterial papaverine administration, 38
Is routine transcranial Doppler ultrasound monitoring useful in the management of subarachnoid hemorrhage? 272
Multiple appearing and vanishing aneurysms: primary angiitis of the central nervous system. Case report, 133
Pulmonary function and radiographic abnormalities related to neurological outcome after aneurysmal subarachnoid hemorrhage, 28
Role of ferrous iron chelator 2,2′-dipyridyl in preventing delayed vasospasm in a primate model of subarachnoid hemorrhage, 298
Ruptured giant intracranial aneurysms. Part I. A study of rebleeding, 425
Terson's syndrome in subarachnoid hemorrhage and severe brain injury accompanied by acutely raised intracranial pressure, 851
Thrombin-antithrombin complex levels in subarachnoid hemorrhage. Letters, 614, 615
Subarachnoid space
Diffuse craniospinal seeding from a benign fourth ventricle choroid plexus papilloma. Case report, 757
Subdural hematoma
Chronic subdural hematoma. Letters, 937, 938
The anatomy of tremor. Letters, 353, 354
Superoxide dismutase
Enhanced endogenous antioxidant activity and inhibition of cerebral vasospasm in rabbits by pretreatment with a nontoxic endotoxin analog, monophosphoryl A, 1082
Surgical approach, *see also* Operative technique *and* specific approaches
Combined supra/infratentorial-transsinus approach to large pineal region tumors, 1050
Hearing preservation in patients undergoing vestibular schwannoma surgery: comparison of middle fossa and retrosigmoid approaches, 840
Magnetic resonance imaging findings in ossification of the posterior longitudinal ligament of the cervical spine, 247
Modified approach for the selective treatment of temporal lobe epilepsy: transsylvian-transcisternal mesial en bloc resection, 855
Transparaspinal exposure of dumbbell tumors of the spine. Report of two cases, 106
Syringomyelia
Basilar invagination: a study based on 190 surgically treated patients, 962

Tamoxifen
Antagonistic effect of insulin-like growth factor I on protein kinase inhibitor-mediated apoptosis in human glioblastoma cells in association with bcl-2 and bcl-x_L, 884
Teratoma
Prolonged survival in a patient with sinonasal teratocarcinosarcoma with cranial extension. Case report, 753
Spinal hamartomas: a distinct clinical entity, 954
Tethered spinal cord
Congenital tethered spinal cord syndrome in adults, 958
Spinal hamartomas: a distinct clinical entity, 954
Split spinal cord malformations in children, 57
Thalamotomy
Gamma knife radiosurgical thalamotomy for Parkinson's tremor: a 5-year experience, 1044
Thalamotomy for parkinsonian tremor. Letters, 1121, 1122
Thalamus
Arteriovenous malformations in the basal ganglia and thalamus: management and results in 101 cases, 285
Third nerve palsy
Computerized tomography angiography in isolated third nerve palsies, 679
Thoracic spine
Experience in the surgical management of 82 symptomatic herniated thoracic discs and review of the literature, 623
Thoracoscopic microsurgical excision of a thoracic schwannoma. Case report, 898
Three-dimensional reconstruction
Platelet-activating factor and edema surrounding meningiomas, 304
Thrombin-antithrombin complex
Thrombin-antithrombin complex levels in subarachnoid hemorrhage. Letters, 614, 615
Thrombolysis
Thrombolysis and angioplasty for acute occlusion of intracranial vertebrobasilar arteries. Report of three cases, 919
Timing of surgery
Ruptured giant intracranial aneurysms. Part II. A retrospective analysis of timing and outcome of surgical treatment, 430
Tinnitus
Neurovascular decompression of the eighth cranial nerve in patients with hemifacial spasm and incidental tinnitus: an alternative way to study tinnitus, 232
Transbasal approach
Prolonged survival in a patient with sinonasal teratocarcinosarcoma with cranial extension. Case report, 753
Transsinus approach
Combined supra/infratentorial-transsinus approach to large pineal region tumors, 1050
Transsphenoidal surgery
Long-term evaluation of reconstruction of the sellar floor with a silicone plate in transsphenoidal surgery, 949
Transvenous embolization
Direct packing of the isolated sinus in patients with dural arteriovenous fistulas of the transverse-sigmoid sinus, 449

Index

Tremor
Gamma knife radiosurgical thalamotomy for Parkinson's tremor: a 5-year experience, 1044
Trigeminal nerve
Generator sites of early scalp potentials evoked from the three trigeminal branches, 718
Trigeminal neuralgia
Microvascular decompression. Letters, 617
Trochlear nerve
Intracranial repair of a divided trochlear nerve. Case report, 336
Tumor, *see also* specific tumor types and sites
Diagnostic and microsurgical presentation of intracranial angiolipomas. Case report and review of the literature, 129
Survival rates in patients with primary malignant brain tumors stratified by patient age and tumor histological type: an analysis based on Surveillance, Epidemiology, and End Results (SEER) data, 1973–1991, 1
Tumor devascularization by intratumoral ethanol injection during surgery. Technical note, 923
Tympanic membrane
Tympanic membrane displacement testing in regular assessment of intracranial pressure in eight children with hydrocephalus, 983

Ultrasound
Cerebral perfusion pressure in head-injured patients: a noninvasive assessment using transcranial Doppler ultrasonography, 802
Changes in cerebral blood flow during $PaCO_2$ variations in patients with severe closed head injury: comparison between the Fick method and transcranial Doppler, 996
Comparison of balloon angioplasty and papaverine infusion for the treatment of vasospasm following aneurysmal subarachnoid hemorrhage, 277
Does the size of intracranial aneurysms change with intracranial pressure? Observations based on color "power" transcranial Doppler ultrasound, 846
Is routine transcranial Doppler ultrasound monitoring useful in the management of subarachnoid hemorrhage? 272

Vascular compression
Magnetic resonance evaluation of ventrolateral medullary compression in essential hypertension, 226
Vascular malformation
Spinal epidural vascular malformation presenting in association with a spontaneously resolved acute epidural hematoma. Case report, 909
Vasospasm
Antivasospastic and brain protective effects of a hydroxyl radical scavenger (AVS) after experimental subarachnoid hemorrhage, 1075
Arteriovenous malformations and vasospasm. Letters, 934
Vasospasm (*continued*)
Comparison of balloon angioplasty and papaverine infusion for the treatment of vasospasm following aneurysmal subarachnoid hemorrhage, 277
Enhanced endogenous antioxidant activity and inhibition of cerebral vasospasm in rabbits by pretreatment with a nontoxic endotoxin analog, monophosphoryl A, 1082
Increase in diameters of vasospastic intracranial arteries by intraarterial papaverine administration, 38
Is routine transcranial Doppler ultrasound monitoring useful in the management of subarachnoid hemorrhage? 272
Role of ferrous iron chelator 2,2′-dipyridyl in preventing delayed vasospasm in a primate model of subarachnoid hemorrhage, 298
Smoking and vasospasm. Letters, 788
Temporal changes in perivascular concentrations of oxyhemoglobin, deoxyhemoglobin, and methemoglobin after subarachnoid hemorrhage, 557
Treatment of vasospasm. Letters, 933
Ventriculoatrial shunt
Percutaneous ventriculoatrial shunts. Letters, 1124
Ventriculoperitoneal shunt
Dutch Normal-Pressure Hydrocephalus Study: randomized comparison of low- and medium-pressure shunts, 490
Hydrothorax after ventriculoperitoneal shunt placement in a premature infant: an iatrogenic postoperative complication. Case report, 594
Mechanical dysfunction of ventriculoperitoneal shunt due to calcification of the silicone rubber catheter, 975
Ventriculostomy
Neuroendoscopic approach to intraventricular lesions, 496
Ventricular shunt removal: the ultimate treatment of the slit ventricle syndrome, 478
Vertebral artery
Vertebral artery injury in C1–2 transarticular screw fixation: results of a survey of the AANS/CNS Section on Disorders of the Spine and Peripheral Nerves, 634
Vertebrobasilar artery
Thrombolysis and angioplasty for acute occlusion of intracranial vertebrobasilar arteries. Report of three cases, 919

White matter
Early metabolic alterations in edematous perihematomal brain regions following experimental intracerebral hemorrhage, 1058

Zero drift assessment
Zero drift in pressure monitors. Letter, 615